KOSANMEDICO

MANUFACTURING MEDICAL FURNITURE SINCE 1994

제1공장 : 경기도 광주시 곤지암읍 만삼로 108번길 63 (유사리 107) Tel. (031)763-8085, 8098 / 798-1136 Fax. (031)764-3526
제2공장 : 경기도 광주시 곤지암읍 만삼로 80번길 (유사리 439-1) Tel. (031)763-8085, 8098 / 798-1136 Fax. (031)764-3526
본 사 : 경기도 광주시 곤지암읍 만삼로 108번길 60 (유사리 107) Tel. (031)763-8085, 8098 / 798-1136 Fax. (031)764-3526
홈페이지:www.kosanmedico.co.kr | 블로그:blog.naver.com/kosanco | 이메일:kosanco@hanmail.net

1st. Factory Address : 63, MANSAM-RO, 108 BEON-GIL GONJIAM-EUP, GWANGJU-SI , GYEONGGI-DO, KOREA
2nd. Factory Address : MANSAM-RO, 80 BEON-GIL GONJIAM-EUP, GWANGJU-SI , GYEONGGI-DO, KOREA
Head quarter & Sales Office : 60 MANSAM-RO, 108 BEON-GIL GONJIAM-EUP, GWANGJU-SI , GYEONGGI-DO, KOREA
Website : www.kosanmedico.com

VOL. 11

KOSANMEDICO PRODUCT CATALOG

KOSANMEDICO

VOL.11

KOSANMEDICO

MANUFACTURING MEDICAL FURNITURE SINCE 1994

KOSANMEDICO

MANUFACTURING MEDICAL FURNITURE SINCE 1994

01 (Factory 1)

02 (Factory 2)

03 (Factory 3)

http://www.kosanmedico.co.kr

Dear Customers,

Welcome to KOSAN MEDICO Limited, the manufacturer of Medical Carts.

With accumulated knowhow for the past twenty years and talented industrial experts, KOSAN MEDICO has been specialized in manufacturing medical carts and outer cases. Mechanical products made of metallic plate such as hydraulic operation table, hydraulic obstetric delivery table, obstetric examination table and units for ENT clinics are its main line of products, and the company is making efforts to upgrade the quality for all of its products.

KOSAN MEDICO also offers customized carts and modification works based on its high technology and design capability. By making it available to produce small lots of many items, the company can meet various different customer demands.

The whole process from design and development to manufacture is done by ourselves and we have been trying utmost to provide better design, solidity, pricing, delivery and A/S than the competitors including imported products.

As a result of maximization of capabilities of the company toward globalization, our products are replacing the imports in a fast speed and we expect to see a big contribution made in the area of international trade.

KOSAN MEDICO is putting further efforts into research and development activities to supply better products based on the technology and capability of manufacturing medical devices. At the same time, we are trying our best to help maximize customer' s profit and productivity. Please stay with us as our customer, and we will be your faithful partner and will provide you with the best quality and profit.

Sincerely yours,

- C.E.O Sang Chul Lee -

ABOUT US

KOSANMEDICO

history

	8.	Established KOSANMEDICO.Co.,Ltd
1994 .	2.	Relocated to the current place.
2000 .	1.	Changed from Personal company to corporate company
2006 .	5.	Certificated as Venture Corporation
2009 .	3.	ISO9001:2008 〈ICR〉
2011 .	2.	Exhibits at in KOREA ~ continuously
2012 .	6.	Acquired "Patent of Medical Cart"
2012 .	9.	A member of KITA(Korea International Trade Association)
2012 .	10.	CE CERTIFICATION / ENDO-350 MODEL
2012 .	3.	Kimes Exhibit
2013 .	3.	Kimes Exhibit
2014 .	3.	Kimes Exhibit
2015 .	10.	Established Second factory
2015 .	11.	Designated as Promising Small and Medium Company in Gwangju
2017 .	12.	Established Third factory
2017 .	10.	Designated as Promising Small and Medium Company in Gyeonggi
2018 .		

Delivery of domestic mid- to large-sized hospitals, including Seoul Medical Center, Seoul St. Mary's Hospital, Chungnam National University Hospital and International St. Mary's Hospital

Company Name	**(KOSANMEDICO.CO.,LTD)**
Business Registration number	**126-81-91869**
	Established on August 1, 1994, before the construction of the new building on February 1, 2000, the company changed its business on January 2, 2006.
C.E.O	Sang Choul Lee
TEL	+82-31-763-8085, +82-31-763-8098
FAX	+82-31-764-3526
E-MAIL	kosanco@hanmail.net
Website	www.kosanmedico.co.kr
Address	107 Yusa-ri, Gonjiam-eup, Gwangju-si, Gyeonggi-do, Republic of Korea

YES! 고산메디코만의 **특징**

· 기존의 모델을 구매 및 사용하실 수 있습니다.
· 기존의 모델을 수정 할 수 있습니다.
· 전용 모델을 제작하실 수 있습니다.

상담 및 주문 → 양산품 생산 → 납 품

상담 및 주문 → 기존 모델을 구매자의 요구에 맞게 도안 및 제작 → 납 품

상담 및 주문 → 업체 특성과 장비의 조화되는 모델의 개발 및 협의 → 생산 및 수정 → 납 품

KOSANMEDICO

Contents Page

Operating Room Appliances

INSTRUMENT CABINET 8-13
SCRUB STATION 14-15
SINK CABINET 15
WALL-MOUNTED INSTRUMENT CABINET 16-18
PACS CABINET 18
RACK BASKET SYSTEM 18
RACK SYSTEM 18
INSTRUMENT TABLE 19
MAYO STAND 20
MAYO TRAY 20
WASH BASIN STAND 21
RACK DRYING GLOVE 21
SUS WIRE BASKET 21
SUCTION BOTTLE 22
CHEST BOTTLE STAND 22
KICK BUCKET 23
TUBE STAND 24
SIDE LAMP 24
MONITOR CART(SUS) 24

Nursing Appliances

MEDICAL CART 26-27
EMERGENCY CART 28-31
MEDICATION CART (DRAWER) 32-37
MEDICATION CART (CASSETTE) 38-44
CASSETTE DELIVERY CART 44
BIN BOX 45
ANESTHESIA CART 46-47
ICU CART 47
SUPER PLUS CART 47
UTILITY CART 47
HAIR SHAMPOOING MACHINE 48
WALKER 48
WHEEL CHAIR 48
HAIR SHAMPOOING BASKET 48
UTILITY CART (DRAWER TYPE) 49
UTILITY CART (A,B,S DRAWER) 50
UTILITY CART 51
DRESSING CART 51
DRESSING CART (BANDING TYPE) 51
TREATMENT CART 52
TREATMENT CART (BANDING TYPE) 52
SIDE TABLE 53
BED PEN RACK 53
URINE CONTAINE RACK (HOLDER TYPE) 53
FECES PEN RACK (HOLDER TYPE) 53
LINEN HAMPER CART 54
LINEN HAMPER BAG 54
STEP FOOT STOOL 55
CHART HOLDER CART 55
BASKET CART 56-57
OXYGEN TANK HOLDER 56
OXYGEN TANK CART 57
SCREEN 58
STRETCHER CART(hydrodynamic) 59
STRETCHER CART(TOTAL LOCK) 59

Consultation Room Appliances

ENDOSCOPIC CABINET 60
COLONOFIBERSCOPE CABINET 60
ENDOSCOPIC CABIENT(ROTATE TYPE) 61
ACCESSORIES STAND 62
ENDOSCOPIC DRYING RACK STAND 62
ENDOSCOPIC DRYING RACK (WOOD) 63
ENDOSCOPIC LENS SAFER 64
APRON STORAGE RACK 64
X-RAY ILLUMINATOR 64
FILM CART 65
OPERATING STOOL 66-67

Supply Room Appliances

WIRE SHELF CART 68
WIRE SHELF 69
PLASTIC DOUBLE CART 70
PLASTIC TRIPLE CART 70
SLIDING METAL RACK SYSTEM 71
TRUCK CART 72
DANPRA(OPTION) 72
LINEN SERVICE CART 72,74
WORK TABLE 73
SEALING TABLE 74
SEALING STAND 74
DUST BOX CART 74
DELIVERY CART 74
FOOD CART 74
SAFETY MEDICINE CABINET 75
MULTI BIN(PLASTIC) 76-80
MULTI BIN CART 81
MULTI BIN CABINET(WOOD) 82-83
MULTI BIN CART 84
TRAY RACK CART (SUS) 84
PASS BOX SYSTEM 84
U.V STERILIZER 84

Hospital Bed

BED MONITOR ARM 85
MOTORIZED PATIENT-CONTROL BED 86-89
HOSPITAL BED 90
a pediatric bed 91-92
PILLOW/MATRESS 93
ATTENDANT BED 93
EXAMINING TABLE 93
CABINET (WOOD) 94
EXAMINING BED 94
SHOWER TROLLEY (STANDARD) 94
INFANT BASSINET STAND 95
STRETCHER CART 95
3단 STRETCHER CART 96
3단 PROTECTOR BED/CHAIR 96
SHOWER TROLLER 97

Carts

ENDOSCOPE CART 98-101
ASSIST MONITOR CART 98
ARTHROSCOPE CART 101-102
LAPAROSCOPE CART 102-104
E.N.T CART 104-105
PC CART 105-108
MULTI CART 108-110
BOVIE CART 111
Blood pressure system 111
EKG CART 112
STANDARD HANGER 112-114
JOINT HANGER 112
NEBULIZER 114
BEAUTY 114
MEB 114
ASSIST MONITOR CART (MOTOR) 115

Monitor Carts

Monitor Carts 116-119

IV Pole Stand

IV Pole Stand 120-123

Monitor Arm

S-TYPE 124
I-TYPE 125
JOINT ARM 126
EXTENSION ARM 127
CENTER ARM 127
EXTENSION 160 128
EXTENSION 250 128
EXTENSION 450 128
EXTENSION HOLDER 128
CENTER HEAD (1 HOLE) 128
CENTER HEAD (2 HOLE) 128
DUAL MONITOR ARM 128
STAND MONITOR CARM 128
TABLET HOLDER 129
NOTEBOOK PLATE 129
SINGLE MONITOR ARM 129

Wall Mount

WALL MOUNT 130-131
WALL MOUNT (BASKET) 130
TABLE MOUNT 131

Pole Mount

POLE MOUNT 132
PLATE MOUNT 132

Accessory

WIRE BASKET 133
MASH BASKET 133
MULTI-TAP 133-134

Customized production is available.

Free standing cabinet is designed for enough storage space.
Construction with heavy duty stainless steel 304

SPECIFICATION

All SUS304 1.0t & 1.2t plate
Glass : 5t strong glass
Shelf : adjustable 30mm intervals
Adjustable foot
Key locking
Requested size available

AVAILABLE OPTIONS

1. Hinged or Sliding door
2. Drawer
3. Sliding work table
4. Bin storage
5. ABS basket
6. Casters

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC1	1200×500×1800	

Sliding glass doors with key locking
Sliding work table
Plastic 24 bins
2 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC2	1200×500×1800	

Sliding glass doors with key locking
Sliding work table
3 SUS drawers
3 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC3	900×450×1800	

Hinged glass door with key locking
4 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC4	900×450×1800	Open type
KS-IC4-1	1200×450×1800	Open type

4 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC5	900×450×1800	

Hinged glass door with key locking
Hinged SUS door
2 SUS drawers
2 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC6	1200×500×1800	

Sliding glass doors with key locking
Sliding SUS door
3 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC7	1200×500×1800	

Sliding glass doors with key locking
2 SUS drawers
4 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC8	900×450×1800	

Hinged glass doors with key locking
2 SUS drawers
3 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC9	900×450×1800	

Hinged glass doors with key locking
Hinged SUS door
Plastic 18 bins
2 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC10	900×450×1800	

Hinged glass doors with key locking
8 SUS drawers
2 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC11	900×450×1800	
KS-IC11-1	1200×500×1800	

Sliding glass doors with key locking
4 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC12	900×500×1800	

Hinged glass doors with key locking
Hinged SUS single door
ABS BASKET
2 SUS drawers
2 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC13	1200×500×1800	

Sliding work table
2 SUS drawers
3 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC14	1200×500×1800	

Sliding glass doors with key locking
Sliding work table
2 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC15	1300×550×1800	

Sliding glass doors with key locking
Sliding work table
ABS BASKET
SUS wire basket
2 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC16	1300×550×1800	

Sliding glass doors with key locking
Sliding work table
ABS BASKET
SUS wire basket
2 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC17	1300×550×1800	

Sliding glass doors with key locking
ABS BASKET
SUS wire basket
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC18	700×550×1800	

ABS BASKET
SUS wire basket
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC19	900×450×1800	

Sliding work table
Plastic drawers
2 SUS drawers
3 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC20	1300×550×1800	

Sliding glass doors with key locking
Sliding work table
Plastic 24 bins
ABS BASKET
SUS wire basket
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC21	1200×500×1800	

Sliding glass doors with key locking
Sliding work table
4 adjustable shelves
High adjustable foot

INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-IC22	1200×500×1800	

Sliding glass doors with key locking
4 adjustable shelves
High adjustable foot

SCRUB STATION

Model	Size (L×D×H / mm)	Soap Pump
KS-PMS-100	1000×600×1150	1(220V-3W)
KS-PMS-200	1400×600×1150	1(220V-3W)
KS-PMS-300	2000×600×1150	2(220V-3W)

- Treatment : Germs removal by filtration
- Heater : 2.0Kw×1EA
- Water : 20~60℃
- Water time : Adjustable Within 30sec
- Filter : Pre-Filter 1EA, Main-Filter 1EA
- Sterilizer : Ultra Vilolet Ray Flow-Sterilizing Systme (15W x 2EA)
- U.V Lamp : 2,000 Hours, Using Time indicates on control panel with digital (Filter life time check)
- Water supply : Min 1.0kg/㎠ Max 5.0kg/㎠
- Water temperature control : Thermostatic Mixing Valve
- Soap filling check : Microprocessor Auto Control
- Power source : AC 220V, 50/60Hz
- Power consumption : 2.2Kw
- Water tank capacity : Approx 30L
- Net weight [kg] 75 / 105 / 135

▸KS-PMS-100

▸KS-PMS-200



▸KS-PMS-300



SPECIAL FEATURE

1. Attach UV Lamp check LED Lamp to the front of the equiment

2. Splash bump design

3. Install pollution control soap case

APPLICATION

- Surgical operating room
- Delivery room
- Emergency room
- ICU room
- Radiology room
- Other places in need of sterillized water

FEATURE

- Heavy duty stainless steel 304 construction for rust proof and corrosion resistance
- Sterilization system by UV lamps and dual filterings by main filter 5um and pre-filter 10um
- Sterilized water of over 99% is provided
- Easy operation by knee-water and soap
- Water pressure control device

BASIC OPERATION AND FUNCTION

1.Heating

1) Hot water supply in winter
2) Fast warming by one heater (2KW)
3) Two safety thermo-switches to controll the in-creasin pressure of the warming tank
4) Constant water temperature by safety thermo-switches

2.Sterilization

1) The water can be sterilized to 99.5%(0.6T/H) by UV water sterilizing lamps
2) The UV lamps are made of dual quart tubes for electrical safety
3) Lamp us time can be read as life-timer is attached

3.Filtering

1) pre-filter 10um
2) Main-filter 5um
3) Thorough filtering by dual-filters
4)Easy filter replacement

SINK CANINET

Model	Size (L×D×H / mm)	Remark
KS-SK01	1200×600×(850+100)	-
KS-SK02	1500×600×(850+100)	-
KS-SK03	1800×600×(850+100)	-

SUS 304 seamless welded construction
Hinged SUS door
3 drawers
1 faucet
1 sink bowl
100mm back plate on the top
Height adjustable
Customized size or spec. available

WALL-MOUNTED INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-WMC01	3700×500×2300	Top Cabinet

■ As well as this model type, we can make a customized product and install them according to the request of the customer.

COMPOSITION UNITS

① Basket Cabinet Accessories
- ABS Basket (Low Type) 2EA
- ABS Basket (High Type) 4EA
- SUS Wirt Basket (Low Type) 2EA
- SUS Wirt Basket (High Type) 2EA
- Multi Box 24EA (Partition)
- Supporting Slide Table.

② Instrument Cabinet Accessories.
- Shelf 2EA

③ Instrument Cabinet Accessories.
- Shelf 2EA
- Multi Plastic Bin 24EA(Partition)

④ Supporting Slide Table

⑤ The Top Cabinet

WALL-MOUNTED INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-WMC02	4500×500×2300	Top Cabinet

■ As well as this model type, we can make a customized product and install them according to the request of the customer.

COMPOSITION UNITS

①② Instrument Drawer Cabinet
- Shelf 2EA

③ Instrument Bin Cabinet Accessories.
- Multi Box (Low) 34EA (Partition)
- Multi Box (High) 32EA (Partition)

④ Instrument Cabinet Accessories.
- Shelf 2EA

⑥ The Top Cabinet

⑦ Drawer (Swivels Sliding Rail)

WALL-MOUNTED INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-WMC03	3400×500×2300	Top Cabinet

WALL-MOUNTED INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-WMC04	3200×500×2300	Top Cabinet

WALL-MOUNTED INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-WMC05	4200×500×1800	–

WALL-MOUNTED INSTRUMENT CABINET

Model	Size (L×D×H / mm)	Remark
KS-WMC06	2400×500×2300	Top Cabinet

■ As well as this model type, we can make a customized product and install them according to the request of the customer.

COMPOSITION UNITS

① Basket Cabinet Accessories
- ABS Basket (Low Type) 2EA
- ABS Basket (High Type) 4EA
- SUS Wirt Basket (Low Type) 2EA
- SUS Wirt Basket (High Type) 2EA
- Multi Box 24EA (Partition)
- Supporting Slide Table.

② Instrument Cabinet Accessories.
- Shelf 2EA

③ The Top Cabinet

PACS CABINET

Model	Size (L×D×H / mm)	Remark
KS-PC01	1200×500×2300	Top Cabinet

■ Option : Monitor, Viewbox (2Panel)

RACK BASKET SYSTEM

Model	Size (L×D×H / mm)	Remark
KS-RBS	2450×550×1800	STS Wine Basket 560×410×125(H)

RACK SYSTEM

Model	Size (L×D×H / mm)	Remark
KS-RACK100	consultation	

INSTRUMENT TABLE (ROUND TYPE)

Model	Size (L×D×H / mm)	Remark
KS-ITR1	1200×550×900	Round
KS-ITR2	1600×550×900	Round
KS-ITR3	1900×550×900	Round

SUS 304 construction
Round shaped 2 shelves with 3 side guard rail
Round rubber bumper against wall
Six 4 inch casters (two with brakes)
Customized size or spec. available

INSTRUMENT TABLE (V-TYPE)

Model	Size (L×D×H / mm)	Remark
KS-ITV1	1200×500×900	Type V
KS-ITV2	1600×500×900	Type v
KS-ITV3	1900×500×900	Type v

SUS 304 construction
V-shaped 2 shelves with 3 side guard rail
Round rubber bumper against wall
Six 4 inch casters (two with brakes)
Customized size or spec. available

INSTRUMENT TABLE (I-TYPE)

Model	Size (L×D×H / mm)	Remark
KS-ITI1	900×500×900	flat type
KS-ITI2	1200×500×900	flat type
KS-ITI3	1600×500×900	flat type

SUS 304 construction
Bottom shelf with 3 side guard rail
Round rubber bumper against wall
Four 4 inch casters (two with brakes)
Customized size or spec. available

CHART STAND

Model	Size (L×D×H / mm)	Remark
KS-CS1	700X520X1800	

MAYO STAND

Model	Size (L×D×H / mm)
KS-MSF	490×330×850~1350

- Operating room use

MAYO STAND

Model	Size (L×D×H / mm)
KS-MSH	490×330×850~1350

- Outpatient clinic use

MAYO STAND(AUTO)

Model	Size (L×D×H / mm)
KS-MSA	490×330×850~1350
KS-MSA-1	600×400×850~1350

- Operating room use/Automatic

MAYO STAND

Model	Size (L×D×H / mm)
KS-02-043	490×330×850~1350

- Outpatient clinic use

MAYO STAND

Model	Size (L×D×H / mm)
KS-MSFA	490X330X850~1350
KS-MSFA-1	600X400X850~1350

MAYO TRAY

Model	Size (L×D×H / mm)
KS-MSA-01-B	600×400×18

MAYO TRAY2

Model	Size (L×D×H / mm)
KS-MSA-B	490×330×18

WASH BASIN STAND

Model	Size (L×D×H / mm)	Remark
KS-WBS01	350×350×900	Single

- All Stainless Steel Pipe Frame
- Stainless Basin
- 2″ Caster 4EA

WASH BASIN STAND

Model	Size (L×D×H / mm)	Remark
KS-WBS02	700×350×900	Double

- All Stainless Steel Pipe Frame
- Stainless Basin
- 2″ Caster 4EA

RACK DRYING GLOVE

Model	Size (L×D×H / mm)	Remark
KS-RDG20	600×400×1500	20족
KS-RDG30	800×400×1500	30족
KS-RDG50	1200×400×1500	50족

SUS WIRE BASKET

Model	Size (L×D×H / mm)	Remark
KS-SWB-1	560×410×130	SUS Bar
KS-SWB-2	560×410×190	SUS Bar

SUCTION BOTTLE 3000 CC

Model	Size (L×D×H / mm)	Remark
KS-SB-30C	Φ350×500	Cap include

- Plastic 3000cc bottle (Polycarbonate)
- Sus bottle cap : 2 air line
- Option accessories : Silicon horse
- Overflow function

SUCTION BOTTLE 8000 CC

Model	Size (L×D×H / mm)	Remark
KS-SB-80C	Φ350×550	Bottle
KS-SB-80CA	–	Cap

- Plastic 8000cc bottle (Polycarbonate)
- Sus bottle cap : 2 air line
- Option accessories : Silicon horse
- Overflow function

SUCTION BOTTLE HOLDER

Model	Size (L×D×H / mm)	Remark
KS-SB-H80C	600×350×500	–

- Swivel caster 2″ 4EA
- Urethane bumper
- Plastic 8000cc bottle (Polycarbonate)
- Sus bottle cap : 2 air line
- Silicon horse (2M–2EA)

SUCTION BOTTLE HOLDER

Model	Size (L×D×H / mm)	Remark
KS-SB-H30C	600×350×500	–

- Swivel caster 2″ 4EA
- Urethane bumper
- Plastic 8000cc bottle (Polycarbonate)
- Sus bottle cap : 2 air line
- Silicon horse (2M–2EA)

CHEST BOTTLE STAND

Model	Size (L×D×H / mm)	Remark
KS-LBS-02	165×145×285	–

- All sus304 construction

CHEST BOTTLE STAND

Model	Size (L×D×H / mm)	Remark
KS-LBS-01	180×100×285	–

- All sus304 construction

KICK BUCKET

Model	Size (L×D×H / mm)	Remark
KS-KB02	Φ350×350	–

SUS 304 construction
Round rubber bumper
Stainless steel bucket
Four 2 inch swivel casters

KICK BUCKET

Model	Size (L×D×H / mm)	Remark
KS-KB03	Φ350×700	Handle Type

SUS 304 construction
Round rubber bumper
Handle
Stainless steel bucket
Four 2 inch swivel casters

KICK BUCKET

Model	Size (L×D×H / mm)	Remark
KS-KB05	Φ430×900	–

SUS 304 construction
Round rubber bumper
Stainless steel bucket
Four 2 inch swivel casters

KICK BUCKET

Model	Size (L×D×H / mm)	Remark
KS-KB04	Φ350×140	–

SUS 304 construction
Round rubber bumper
Four 2 inch swivel casters

TUBE STAND

Model	Size (L×D×H / mm)	Remark
KS-TS1	210×170×500	STS304

TUBE STAND

Model	Size (L×D×H / mm)	Remark
KS-TS2	300×200×180	STS/AL

SIDE LAMP

Model	Size (L×D×H / mm)	Remark
KS-SL02	1430×2000	25,000 LUX

MONITOR CART

Model	Size (L×D×H / mm)	Remark
KS-MO1	600×600×1300	–

MONITOR CART

Model	Size (L×D×H / mm)	Remark
KS-MO2	550×500×1300	–

MONITOR CART

Model	Size (L×D×H / mm)	Remark
KS-MO3	600×500×1200	–

■ Possibility to make a customized cart.

EMR CART

Model	Size (L×D×H / mm)	Remark
KS-EMR0351	510×620X860	

Model	Size (L×D×H / mm)	Remark
KS-EMR0352	740X575X(900+600)	

MEDICAL CART

SPECIFICATION

Top & Bottom shelf : ABS plastic with SUS 304
Guard rail : Steel (Color : Grey)
Column : Aluminum (Color : Grey)
Drawer front : ABS plastic
Drawer with removable ABS basket

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC-D1	740×575×900	H:1000
KS-MDCS-D1	610×575×900	H:1000

■ OPTION 높이

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC-D1-P1	740×575×900	H:1000
KS-MDC-D1S-P1	610×575×900	H:1000

Applicable Components (Option)

MONITOR ARM

Model	Remark
KS-ARM-MSB	A,B,S an exclusive use

■ HEAD 포함
■ OPTION



BASKET

Model	Size (L×D×H / mm)
KS-AB-1	560×410×55
KS-AB-2	560×410×125
KS-AB-3	560×410×190

■ DIVIDER compartment control through
■ OPTION

IV POLE

Model	Size (L×D×H / mm)
KS-AC-IV05	Φ22

■ H=450
■ 5 HOOKS
■ OPTION

NEEDLE HOLDER

Model	Size (L×D×H / mm)
KS-AC-NH02	155×120(110) (2L)

■ OPTION

WASTE BOX

Model	Size (L×D×H / mm)
KS-AC-WB01	185×175×330 (10L)

■ OPTION

WASTE HOLDER

Model	Size (L×D×H / mm)
KS-AC-WH02	210×230×155 (10L)

■ Application of new model
■ OPTION

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC	740×575×900	H:1000
KS-MDCS	610×575×900	H:1000

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC-YD1	740×575×900	H:1000
KS-MDCS-YD1	610×575×900	H:1000

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC-P1	740×575×900	H:1000
KS-MDCS-P1	610×575×900	H:1000

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC-D2	740×575×900	H:1000
KS-MDCS-D2	610×575×900	H:1000

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDCS-D2W2	740×575×900	H:1000

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC-D3	740×575×1000	H:1000
KS-MDCS-D3	610×575×1000	H:1000

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC-KD1-P1	740×575×900	H:1000
KS-MDCS-KD1-P1	610×575×900	H 1000

■ Keyboard

MEDICAL CART

Model	Size (L×D×H / mm)	Opstion
KS-MDC-KD2	740×575×900	H:1000
KS-MDCS-KD2	610×575×900	H:1000

■ Keyboard

IV POLE

Model	Size (L×D×H / mm)	Opstion
KS-AC-IV06	Φ22	H:1000

EMERGENCY CART

ALUMINUM SIDE & BACK PANEL

Light weight of ALUMINUM
makes faster moving speed
than cart made by steel.

SPECIFICATION

Top shelf : ABS plastic with SUS 304
Side & Back panel : Aluminum
Guard rail : Steel (Color : Grey)
Column : Aluminum (Color : Grey)
Drawer front : ABS plastic
Drawer with removable ABS basket
Drawer rail : Auto return available upon request
Total key locking
Caster : 5 inch (Two with brake)
Height can be modified upon request

Drawer-S

Drawer-M



Drawer-L



You can open the drawer and take out the basket.
You can move archived content.

OXYGEN TANK

Model	Size (L×D×H / mm)
KS-AC-OT01	For Φ120

C.P.R BOARD

Model	Size (L×D×H / mm)
KS-AC-CPR01	420×530×20

Oxygen tank, C.P.R Board can be fitted with. (Option)

ACCESSORIES



DEFIBRILLATOR

Model	Size (L×D×H / mm)
KS-AC-DF01	L : 395X275
	S : 330X235

OPTION

SLIDE PLATE

Model	Size (L×D×H / mm)
–	350X340



BASKET

Model	Size (L×D×H / mm)
KS-AB-1	560×410×55
KS-AB-2	560×410×125
KS-AB-3	560×410×190

DIVIDER Compartment adjustment
OPTION

UTILITY CONTAINER

Model	Size (L×D×H / mm)
KS-AC-UC01	340X100X300(250)

OPTION

STORAGE BOX

Model	Size (L×D×H / mm)
KS-AC-SB01	480X180X418

6 PERSON
OPTION
KS-CA703

IV POLE

Model	Size (L×D×H / mm)
KS-AC-IV05	Φ22

H=450
5 HOOKS
OPTION

NEEDLE HOLDER

Model	Size (L×D×H / mm)
KS-AC-NH02	165×130×110

OPTION
2ℓ

WASTE BOX

Model	Size (L×D×H / mm)
KS-AC-WB01	185×175×330

OPTION

WASTE HOLDER

Model	Size (L×D×H / mm)
KS-AC-WH02	210×230×155(5L)
KS-AC-WH03	280×300×155(12L)

New model applied
OPTION

EMERGENCY CART (740)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D	740×575×985(1055)	Standard

- Lock (Key)

EMERGENCY CART (740)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-01	740×575×985(1055)	–

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

EMERGENCY CART (740)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-02	740×575×985(1055)	–

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

EMERGENCY CART (740)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-03	740×575×985(1055)	–

- Storage Box (6 person) 2ea
- Lock (Key)

EMERGENCY CART (610)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-S	610×575×985(1055)	Standard

EMERGENCY CART (610)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-01S	610×575×985(1055)	–

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder

EMERGENCY CART (610)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-02S	610×575×985(1055)	–

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder

EMERGENCY CART (610)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-03S	610×575×985(1055)	–

- Storage Box (6 person) 2ea

MEDICATION CART (BIN TYPE)

ALUMINUM SIDE & BACK PANEL

Light weight of ALUMINUM makes faster moving speed than cart made by steel.

SPECIFICATION

SIZE (LxDxH / mm) : 740 X 575 X 1000(1070)
610 X 575 X 1000(1070)
Top shelf : ABS plastic with SUS 304
Side & Back panel : Aluminum
Guard rail : Steel (Color : Grey)
Column : Aluminum (Color : Grey)
Drawer : Steel with fixed one divider
Bin : ABS plastic
Total key locking
Caster : 5 inch (Two with brake)
Height can be modified upon request

AVAILABLE BIN TYPE

- 16 bins type (Front side 8 bins + Back side 8 bins)
- 20 bins type (Front side 10 bins + Back side 10 bins)
- 24 bins type (Front side 12 bins + Back side 12 bins)
- 30 bins type (Front side 15 bins + Back side 15 bins)
- 32 bins type (Front side 16 bins + Back side 16 bins)
- 40 bins type (Front side 20 bins + Back side 20 bins)



MEDICATION BIN SIZE

KS-AC-MB01 (LxDxH / mm) : 108 X 248 X 86
ABS plastic
Including 2 removable dividers



You can adjust the space inside of the Bin Box by using a partition

TOTAL KEY LOCKING

Every Medication bins and Drawers at front & back side can be locked by one key. Use the key to fully lock the bin box to prepare for loss

ACCESSORIES



NOTEBOOK PLATE

Model	Size (L×D×H / mm)
KS-AC-DF01	395X275

OPTION

SLIDE PLATE

Model	Size (L×D×H / mm)
KS-AC-SP1	350X340



WIRE BASKET

Model	Size (L×D×H / mm)
KS-AC-WB04	400X160X100(10T용)

UTILITY CONTAINER

Model	Size (L×D×H / mm)
KS-AC-UC01	340X100X300(250)

OPTION

STORAGE BOX

Model	Size (L×D×H / mm)
KS-AC-SB01	480X180X418

6 PERSON
OPTION
KS-CA703

IV POLE

Model	Size (L×D×H / mm)
KS-AC-IV05	Φ22

H=450
5 HOOKS
OPTION

NEEDLE HOLDER

Model	Size (L×D×H / mm)
KS-AC-NH02	165×130×110

OPTION
2ℓ

WASTE BOX

Model	Size (L×D×H / mm)
KS-AC-WB01	185×175×330

OPTION

WASTE HOLDER

Model	Size (L×D×H / mm)
KS-AC-WH02	210×230×155

New model applied
OPTION

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC20	740×575×1000(1070)	20 Person

- Standard
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC30	740×575×1000(1070)	30 Person

- Standard
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC40	740×575×1000(1070)	40 Person

- Standard
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC20-01	740×575×1000(1070)	20 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC30-01	740×575×1000(1070)	30 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC40-01	740×575×1000(1070)	40 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC20-02	740×575×1000(1070)	20 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC30-02	740×575×1000(1070)	30 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC40-02	740×575×1000(1070)	40 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC20-03	740×575×1000(1070)	20 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC30-03	740×575×1000(1070)	30 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART (740,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC40-03	740×575×1000(1070)	40 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC16	610×575×1000(1070)	16 Person

- Standard
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC24	610×575×1000(1070)	24 Person

- Standard
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC32	610×575×1000(1070)	32 Person

- Standard
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC16-01	610×575×1000(1070)	16 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC24-01	610×575×1000(1070)	24 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC32-01	610×575×1000(1070)	32 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC16-02	610×575×1000(1070)	16 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC24-02	610×575×1000(1070)	24 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC32-02	610×575×1000(1070)	32 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC16-03	610×575×1000(1070)	16 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC24-03	610×575×1000(1070)	24 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART (610,DRAWER)

Model	Size (L×D×H / mm)	Remark
KS-MCC32-03	610×575×1000(1070)	32 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART (CASSETTE TYPE)

ALUMINUM SIDE & BACK PANEL

Light weight of ALUMINUM
makes faster moving speed
than cart made by steel.

SPECIFICATION

SIZE (LxDxH / mm) : 740 X 575 X 1000(1070)
610 X 575 X 1000(1070)
Top shelf : ABS plastic with SUS 304
Side & Back panel : Aluminum
Guard rail : Steel (Color : Grey)
Column : Aluminum (Color : Grey)
Drawer front : ABS plastic
Drawer with removable ABS basket
Drawer rail : Auto return available upon request
Bin : ABS plastic
Cassette : ALUMINUM
Caster : 5 inch (Two with brake)
Height can be modified upon request

AVILABLE CASSETTE TYPE

- 8 bins / 12 bins / 16 bins type
- 10 bins / 15 bins / 20 bins type



MEDICATION BIN SIZE

KS-AC-MB01 (LxDxH / mm) : 104 X 300 X 78
ABS plastic
Including 2 removable dividers



MEDICATION CASSETTE IS TOTAL LOCKING BY KEY AND REMOVABLE.

ACCESSORIES



NOTEBOOK PLATE

Model	Size (L×D×H / mm)
KS-AC-DF01	395X275

OPTION



SLIDE PLATE

Model	Size (L×D×H / mm)
–	350X340



BASKET

Model	Size (L×D×H / mm)
KS-AB-1	560×410×55
KS-AB-2	560×410×125
KS-AB-3	560×410×190

DIVIDER compartment control through
OPTION



UTILITY CONTAINER

Model	Size (L×D×H / mm)
KS-AC-UC01	340X100X300(250)

OPTION



STORAGE BOX

Model	Size (L×D×H / mm)
KS-AC-SB01	480X180X418

6 PERSON
OPTION
KS-CA703

IV POLE

Model	Size (L×D×H / mm)
KS-AC-IV05	Φ22

H=450
5 HOOKS
OPTION



NEEDLE HOLDER

Model	Size (L×D×H / mm)
KS-AC-NH02	165×130×110

OPTION
2ℓ

WASTE BOX

Model	Size (L×D×H / mm)
KS-AC-WB01	185×175×330

OPTION

WASTE HOLDER

Model	Size (L×D×H / mm)
KS-AC-WH02	210×230×155

Application of new model
OPTION

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC8C	610×575×1000(1070)	8 Person

- Standard
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC12C	610×575×1000(1070)	12 Person

- Standard
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC16C	610×575×1000(1070)	16 Person

- Standard
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC8C-01	610×575×1000(1070)	–

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC12C-01	610×575×1000(1070)	–

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC16C-01	610×575×1000(1070)	–

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC8C-02	610×575×1000(1070)	8 Person

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC12C-02	610×575×1000(1070)	12 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC16C-02	610×575×1000(1070)	16 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC8C-03	610×575×1000(1070)	8 Person

- Storage Box (6 person) 2ea
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC12C-03	610×575×1000(1070)	12 Person

- Storage Box (6 person) 2ea
- Lock (Key)
- Cassette Type

MEDICATION CART (610,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC16C-03	610×575×1000(1070)	16 Person

- Storage Box (6 person) 2ea
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC10C	740×575×1000(1070)	10 Person

- Standard
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC15C	740×575×1000(1070)	15 Person

- Standard
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC20C	740×575×1000(1070)	20 Person

- Standard
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC10C-01	740×575×1000(1070)	10 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC15C-01	740×575×1000(1070)	15 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC20C-01	740×575×1000(1070)	20 Person

- Utility Container
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

KOSANMEDICO

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC10C-02	740×575×1000(1070)	10 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC15C-02	740×575×1000(1070)	15 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC20C-02	740×575×1000(1070)	20 Person

- Storage Box (6 person)
- Waste Holder
- Waste Box
- Needle Holder
- Lock (Key)
- Cassette Type

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC10C-03	740×575×1000(1070)	10 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC15C-03	740×575×1000(1070)	15 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART (740,CASSETTE)

Model	Size (L×D×H / mm)	Remark
KS-MCC20C-03	740×575×1000(1070)	20 Person

- Storage Box (6 person) 2ea
- Lock (Key)

MEDICATION CART

Model	Size (L×D×H / mm)	Remark
KS-SMCC25C-D1	740×575×1000	–

MEDICATION CART

Model	Size (L×D×H / mm)	Remark
KS-MC2	630×520×950	SUS(40인용)

■ 20/30 person Custom made is available.
■ CA502-20EA

CASSETTE DELIVERY CART

Model	Size (L×D×H / mm)	Remark
KS-CDLC-4B	740×740 ×1400	4 BOX

EMR CART

Model	Size (L×D×H / mm)	Remark
KS-EMR0353	510X620X1090	

EMR CART

Model	Size (L×D×H / mm)	Remark
KS-EMR0354	510X620X1090	

EMR CART

Model	Size (L×D×H / mm)	Remark
KS-EMR0355	480X580X850	

CASSETTE

Model	Size (L×D×H / mm)	Remark
KS-CB-10	563×330×250	10 Person

■ Aluminium, A.B.S Box

CASSETTE

Model	Size (L×D×H / mm)	Remark
KS-CB-15	563×330×345	15 Person

■ Aluminium, A.B.S Box

CASSETTE

Model	Size (L×D×H / mm)	Remark
KS-CB-20	563×330×440	20 Person

■ Aluminium, A.B.S Box

CASSETTE

Model	Size (L×D×H / mm)	Remark
KS-CB-8	463×330×250	8 Person

■ Aluminium, A.B.S Box

CASSETTE

Model	Size (L×D×H / mm)	Remark
KS-CB-12	463×330×345	12 Person

■ Aluminium, A.B.S Box

CASSETTE

Model	Size (L×D×H / mm)	Remark
KS-CB-16	463×330×440	16 Person

■ Aluminium, A.B.S Box

BIN BOX (BIN TYPE)

Model	Size (L×D×H / mm)	Remark
KS-AC-MB01	108×248×86	A.B.S Plastic

■ Space can be managed by adjusting the space.

BIN BOX (CASSETTE TYPE)

Model	Size (L×D×H / mm)	Remark
KS-AC-MB02	104×300×78	A.B.S Plastic

■ Space can be managed by adjusting the space.

ANESTHESIA CART



ALUMINUM SIDE & BACK PANEL

Light weight of ALUMINUM
makes faster moving speed
than cart made by steel.

SPECIFICATION

SIZE (LxDxH / mm) : 740 X 575 X 1070(1670)
610 X 575 X 1070(1670)
Top shelf : ABS plastic with SUS 304
Side & Back panel : Aluminum
Guard rail : Steel (Color : Grey)
Column : Aluminum (Color : Grey)
Drawer front : ABS plastic
Drawer with removable ABS basket
Drawer rail : Auto return available upon request
Multi Bin : ABS plastic (4, 5, 6 BIN available)
Container shelf : Steel
Total key locking
Caster : 5 inch (Two with brake)
Height can be modified upon request

ANESTHESIA CART

Model	Size (L×D×H / mm)	Remark
KS-ATC-01-01	740×575×1070(1670)	–

ANESTHESIA CART

Model	Size (L×D×H / mm)	Remark
KS-ATC-01-02	740×575×1070(1670)	–

ANESTHESIA CART

Model	Size (L×D×H / mm)	Remark
KS-ATC-01-03	740×575×1070(1670)	10 Hooks

ICU CART

Model	Size (L×D×H / mm)	Remark
KS-ICUC-01	740×575×1000(1070)	–

ANESTHESIA CART

Model	Size (L×D×H / mm)	Remark
KS-ANC-01	660X500X(1000+600)	–

SUPER PLUS CART

Model	Size (L×D×H / mm)	Remark
KS-TRTC-5D	755X530X1060	Door Type

SUPER PLUS CART

Model	Size (L×D×H / mm)	Remark
KS-TRTC-5D-01	755X530X1060	Open Type

UTILITY CART

Model	Size (L×D×H / mm)	Remark
KS-ANC-02	660X500X1000	–

UTILITY CART

Model	Size (L×D×H / mm)	Remark
KS-ANC-03	660X500X1060	–

WHEELCHAIR

Model	Size (L×D×H / mm)	Remark
KS-KCA1004	745X1150X875	Steel colossus

WHEELCHAIR

Model	Size (L×D×H / mm)	Remark
KS-KCA100	700X1040X875	Steele general

WALKER

Model	Size (L×D×H / mm)	Remark
KS-WK01	750×450×950	STANDARD
KS-WK02	630X500X950	TWO BUTTON

HAIR SHAMPOOING BASKET

Model	Size (L×D×H / mm)	Remark
KS-HS-PA	450×440×85	Includes water cooker

CO2 SUPPORT

Model	Size (L×D×H / mm)	Remark
KS-KCA100-02		

STAND HOLDER (RED CIRCLE)

Model	Size (L×D×H / mm)	Remark
KS-KCA100-PM		

UTILITY CART(DRAWER TYPE)

Model	Size (L×D×H / mm)	Remark
KS-UC3S-1D	665X500X950	



UTILITY CART (DRAWER TYPE)

Model	Size (L×D×H / mm)	Remark
KS-UC2S-2S	665X500X950	2 DRAWERS

UTILITY CART (DRAWER TYPE)

Model	Size (L×D×H / mm)	Remark
KS-UC25-BP	650X350X950	

UTILITY CART (A.B.S DRAWER)

Model	Size (L×D×H / mm)
KS-AUC2S-1DS	565×500×950
KS-AUC2S-1DL	665×500×950

Stainless steel 304 construction
3 side guard rail on each shelf
Two flat shelves
Drawer front : ABS plastic
ABS basket with divider each drawer
Round rubber bumper
4 inch casters (Two with breaks)

UTILITY CART (A.B.S DRAWER)

Model	Size (L×D×H / mm)
KS-AUC3S-1DS	565×500×950
KS-AUC3S-1DL	665×500×950

Stainless steel 304 construction
3 side guard rail on each shelf
Three flat shelves
Drawer front : ABS plastic
ABS basket with divider each drawer
Round rubber bumper
4 inch casters (Two with breaks)

UTILITY CART (A.B.S DRAWER)

Model	Size (L×D×H / mm)
KS-AUC2S-2DS	565×500×950
KS-AUC2S-2DL	665×500×950

Stainless steel 304 construction
3 side guard rail on each shelf
Two flat shelves
Drawer front : ABS plastic
ABS basket with divider each drawer
Round rubber bumper
4 inch casters (Two with breaks)

UTILITY CART (A.B.S DRAWER)

Model	Size (L×D×H / mm)
KS-AUC2S-H2D	755×500×950

Stainless steel 304 construction
3 side guard rail on each shelf
Two flat shelves
Drawer front : ABS plastic
Aluminum divider each drawer
(Without removable ABS basket)
Round rubber bumper
4 inch casters (Two with breaks)

UTILITY CART (A.B.S DRAWER)

Model	Size (L×D×H / mm)
KS-AUC3S-H2D	755×500×950

Stainless steel 304 construction
3 side guard rail on each shelf
Three flat shelves
Drawer front : ABS plastic
Aluminum divider each drawer
(Without removable ABS basket)
Round rubber bumper
4 inch casters (Two with breaks)

UTILITY CART (A.B.S DRAWER)

Model	Size (L×D×H / mm)
KS-AUC2S-H4D	755×500×950

Stainless steel 304 construction
3 side guard rail on each shelf
Two flat shelves
Drawer front : ABS plastic
Aluminum divider each drawer
(Without removable ABS basket)
Round rubber bumper
4 inch casters (Two with breaks)

UTILITY CART (RECESSED SHELF)

Model	Size (L×D×H / mm)
KS-UC2S-S	650×450×900
KS-UC2S-M	750×450×900
KS-UC2S-L	950×450×900

Stainless steel 304 construction
3 side guard rail on each shelf
Two recessed shelves
4 inch casters (Two with breaks)
Round rubber bumper
Requested size available

UTILITY CART (RECESSED SHELF)

Model	Size (L×D×H / mm)
KS-UC3S-S	650×450×900
KS-UC3S-M	750×450×900
KS-UC3S-L	950×450×900

Stainless steel 304 construction
3 side guard rail on each shelf
Three recessed shelves
4 inch casters (Two with breaks)
Round rubber bumper
Requested size available

DRESSING CART

Model	Size (L×D×H / mm)
KS-DC2S-S	650×450×900
KS-DC2S-M	750×450×900
KS-DC2S-L	950×450×900

Stainless steel 304 construction
3 side guard rail on each shelf
Two flat shelves
4 inch casters (Two with breaks)
Round rubber bumper
Requested size availableA

DRESSING CART

Model	Size (L×D×H / mm)
KS-DC3S-S	650×450×900
KS-DC3S-M	750×450×900
KS-DC3S-L	950×450×900

Stainless steel 304 construction
3 side guard rail on each shelf
Three flat shelves
2 inch casters (Two with breaks)
Round rubber bumper
Requested size available

DRESSING CART (BENDING TYPE)

Model	Size (L×D×H / mm)
KS-DC2SH-S	650×450×950
KS-DC2SH-M	750×450×950
KS-DC2SH-L	950×450×950

Stainless steel 304 construction
3 side guard rail on each shelf
Handle at both side
Two flat shelves
4 inch casters (Two with breaks)
Round rubber bumper
Requested size available

DRESSING CART (BENDING TYPE)

Model	Size (L×D×H / mm)
KS-DC3SH-S	650×450×950
KS-DC3SH-M	750×450×950
KS-DC3SH-L	950×450×950

Stainless steel 304 construction
3 side guard rail on each shelf
Handle at both side
Three flat shelves
4 inch casters (Two with breaks)
Round rubber bumper
Requested size available

TREATMENT CART

Model	Size (L×D×H / mm)
KS-TC2S1-S	550×450×900
KS-TC2S1-M	650×450×900

Stainless steel 304 construction
3 side guard rail on each shelf
Two flat shelves
One SUS Drawer
4 inch casters (Two with breaks)
Round rubber bumper
Additional shelf or drawer available

TREATMENT CART

Model	Size (L×D×H / mm)
KS-TC2S-S	550×450×900
KS-TC2S-M	650×450×900

Stainless steel 304 construction
3 side guard rail on each shelf
Two flat shelves
Two SUS Drawers
4 inch casters (Two with breaks)
Round rubber bumper
Additional shelf or drawer available

TREATMENT CART

Model	Size (L×D×H / mm)
KS-TC2S2-S	750×450×900
KS-TC2S2-M	850×450×900
KS-TC2S2-L	950×450×900

Stainless steel 304 construction
3 side guard rail on each shelf
Two flat shelves
Two SUS Drawers side by side
4 inch casters (Two with breaks)
Round rubber bumper
Additional shelf or drawer available

TREATMENT CART

Model	Size (L×D×H / mm)
KS-TC3S2-S	750×450×900
KS-TC3S2-M	850×450×900
KS-TC3S2-L	950×450×900

Stainless steel 304 construction
3 side guard rail on each shelf
Three flat shelves
Two SUS Drawers side by side
4 inch casters (Two with breaks)
Round rubber bumper
Additional shelf or drawer available

TREATMENT CART (BANDING TYPE)

Model	Size (L×D×H / mm)
KS-TC2S2H-S	750×450×950
KS-TC2S2H-M	850×450×950
KS-TC2S2H-L	950×450×950

Stainless steel 304 construction
3 side guard rail on each shelf
Handle at both side
Two flat shelves
Two SUS Drawers side by side
4 inch casters (Two with breaks)
Round rubber bumper
Additional shelf or drawer available

TREATMENT CART (BANDING TYPE)

Model	Size (L×D×H / mm)
KS-TC3S2H-S	750×450×950
KS-TC3S2H-M	850×450×950
KS-TC3S2H-L	950×450×950

Stainless steel 304 construction
3 side guard rail on each shelf
Handle at both side
Three flat shelves
Two SUS Drawers side by side
4 inch casters (Two with breaks)
Round rubber bumper
Additional shelf or drawer available

❶

❷

SIDE TABLE

Model	Size (L×D×H / mm)	Remark
KS-ST-01	800×350×775	2″ Caster, Wood, Steel
KS-ST-02	800×350×775	1″ Caster, H45

❸

SIDE TABLE (C-ARM)

Model	Size (L×D×H / mm)	Remark
KS-ST-03	700×400×775	BAKE 15T



URINE CONTAINE RACK (HOLDER TYPE)

Model	Size (L×D×H / mm)	Remark
KS-UCR01	100×220×260	1 Holder
KS-UCR02	200×220×260	2 Holder
KS-UCR03	300×220×260	3 Holder

All Stainless Steel 304 Construction
Pipe Frame & Joint Type

❹

SIDE TABLE (ARM SUPPORT)

Model	Size (L×D×H / mm)	Remark
KS-ST-04	460×570×775	mattress 600x150x40



FECES PEN RACK (HOLDER TYPE)

Model	Size (L×D×H / mm)	Remark
KS-FPR01	100×220×330	1 Holder
KS-FPR02	200×220×330	2 Holder
KS-FPR03	300×220×330	3 Holder

All Stainless Steel 304 Construction
Pipe Frame & Joint Type

BED PEN RACK

Model	Size (L×D×H / mm)	Remark
KS-BPR03	500×420×800	3 Holder
KS-BPR05	850×420×800	5 Holder
KS-BPR08	1100×420×800	8 Holder
KS-BPR10	1400X420X800	10 Holder

All Stainless Steel 304 Construction
Drain Hole & Tray
Wall Mounted Type

LINEN HAMPER CART

Model	Size (L×D×H / mm)	Remark
KS-LHCF	600×600×850	–
KS-LHCF-1	900×600×850	–
KS-LHCF-2	1200×600×850	–

Stainless Steel Pipe 304 Frame
4″ Swivel Caster 4EA
Accessories : Hamper bag 1EA
Option : Water proof hamper bag available
(Color : Orange or Green)

LINEN HAMPER CART

Model	Size (L×D×H / mm)	Remark
KS-LHCR	Φ600×850	–

Stainless Steel Pipe 304 Frame
4″ Swivel Caster 3EA
Accessories : Hamper bag 1EA

LINEN HAMPER BAG

Model	Size (L×D×H / mm)	Remark
KS-LHB-01	500×500	
KS-LHB-02	600×600	

OPTION-Waterproof (orange, green)

LINEN HAMPER BAG COLOR

LINEN HAMPER CART (PEDAL TYPE)

Model	Size (L×D×H / mm)	Remark
KS-LHCF-C	500×500×850	Cover Type
KS-LHCF-C6	600X600X850	Cover Type

Stainless Steel Pipe 304 Frame
Cover : Acrylic 5.0mm & Handle
3″ Swivel Caster 4EA
Accessories : Hamper bag 1EA
Option : Water proof hamper bag available
(Color : Orange or Green)
Hamper rid opened by foot pedal

LINEN HAMPER CART

Model	Size (L×D×H / mm)	Remark
KS-LHCD	1000×500×850	Double

Stainless Steel Pipe 304 Frame
Stainless Steel Shelf Plate
Accessories : Hamper bag 2EA

STEP FOOT STOOL

Model	Size (L×D×H / mm)	Remark
KS-FS1-1	430×300×120	One Step
KS-FS1-2	430×300×180	One Step
KS-FS1-3	430×300×250	One Step

All Stainless Steel 304 Construction
Non Slip rubber top surface
Non Slip rubber Parking

STEP FOOT STOOL

Model	Size (L×D×H / mm)	Remark
KS-FS2-1	430×500×500	Two Step
KS-FS2-2	700×500×500	Two Step

All Stainless Steel 304 Construction
Non Slip rubber top surface
Non Slip rubber Parking

STEP FOOT STOOL (BENDING TYPE)

Model	Size (L×D×H / mm)	Remark
KS-FS-3	430×500×470	Two Step

All Stainless Steel 304 Construction

STEP FOOT STOOL

Model	Size (L×D×H / mm)	Remark
KS-FS3-H	700X500X900	Two Step

All Stainless Steel 304 Construction
Non Slip rubber top surface
Non Slip rubber Parking

CHART HOLDER CART

Model	Size (L×D×H / mm)	Remark
KS-CHC530	530×335×1000	40매
KS-CHC630	630×335×1000	60매
KS-CHC830	830×335×1000	80매

All Stainless Steel 304 Construction
4″ Swivel Caster 4EA

CHART HOLDER CART

Model	Size (L×D×H / mm)	Remark
KS-CHC530S	530×335×1200	40매
KS-CHC630S	630×335×1200	60매
KS-CHC830S	830×335×1200	80매

All Stainless Steel 304 Construction
4″ Swivel Caster 4EA

BASKET CART

Model	Size (L×D×H / mm)	Remark
KS-BC1	600×450×900	–

BASKET CART

Model	Size (L×D×H / mm)	Remark
KS-BC2	600×450×900	–

OXYGEN TANK HOLDER

Model	Size (L×D×H / mm)	Remark
KS-OTH120	Φ120×440	5.5L

OXYGEN TANK HOLDER

Model	Size (L×D×H / mm)	Remark
KS-OTH160	Φ160×370	5L

BASKET CART

Model	Size (L×D×H / mm)	Remark
KS-BC3	700×500×950	–

OXYGEN TANK CART

Model	Size (L×D×H / mm)	Remark
KS-OTC10-A	–	Φ120
KS-OTC10-B	–	Φ160

All SUS

OXYGEN TANK CART

Model	Size (L×D×H / mm)	Remark
KS-OTC20	For 20kg	10L

SUS

OXYGEN TANK CART

Model	Size (L×D×H / mm)	Remark
KS-OTC40	For 40kg	20L

Steel

OXYGEN HOLDER

Model	Size (L×D×H / mm)	Remark
KS-OTC6-115	390X260X230	–

OXYGEN TANK CART

Model	Size (L×D×H / mm)	Remark
KS-OTC6-116	490X315X900	–

SUS

SCREEN

Model	Size (L×D×H / mm)	Remark
KS-1PS	900×440×1800	1 Panel

Stainless steel 304 pipe frame
Easy to change fabric screen
2 inch swivel casters

SCREEN

Model	Size (L×D×H / mm)	Remark
KS-2PS	1800×400×1800	2 Panel

Stainless steel 304 pipe frame
Easy to change fabric screen
2 inch swivel casters
Foldable each screen side

SCREEN

Model	Size (L×D×H / mm)	Remark
KS-3PS	2700×400×1800	3 Panel

Stainless steel 304 pipe frame
Easy to change fabric screen
2 inch swivel casters
Foldable each screen side

UTILITY CART

Model	Size (L×D×H / mm)	Remark
KS-UC3S-W3	1030X450X870	

EMERGENCY CART (K TYPE)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-KB	740X575X985(1055)	BLUE

Top shelf : ABS plastic with SUS 304
Side & Back panel : Aluminum
Guard rail : Steel (Color : Grey)
Column : Aluminum (Color : Grey)
Drawer front : Powder Coated Steel
Drawer with removable ABS basket
Drawer rail : Auto return available upon request
Total key locking
Caster : 5 inch (Two with brake)

EMERGENCY CART (K TYPE)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-KY	740X575X985(1055)	YELLOW

Top shelf : ABS plastic with SUS 304
Side & Back panel : Aluminum
Guard rail : Steel (Color : Grey)
Column : Aluminum (Color : Grey)
Drawer front : Powder Coated Steel
Drawer with removable ABS basket
Drawer rail : Auto return available upon request
Total key locking
Caster : 5 inch (Two with brake)

EMERGENCY CART (K TYPE)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-K7	740X575X985(1055)	5 COLORS

Top shelf : ABS plastic with SUS 304
Side & Back panel : Aluminum
Guard rail : Steel (Color : Grey)
Column : Aluminum (Color : Grey)
Drawer front : Powder Coated Steel
Drawer with removable ABS basket
Drawer rail : Auto return available upon request
Total key locking
Caster : 5 inch (Two with brake)

EMERGENCY CART (K TYPE)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-KSTS	740X575X985(1055)	SUS SHELF

Top shelf : Stainless Steel 304
Side & Back panel : Aluminum
Guard rail : SUS304
Column : Aluminum (Color : Grey)
Drawer front : ABS plastic
Drawer with removable ABS basket
Drawer rail : Auto return available upon request
Total key locking
Caster : 5 inch (Two with brake)

EMERGENCY CART (K TYPE)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-STY	660X510X1000(1070)	YELLOW

Top shelf : Stainless Steel 304
Body frame : Powder Coated Steel
Guard rail : SUS304
Drawer front : Powder Coated Steel
Drawer with removable ABS basket
Caster : 5 inch (Two with brake)

EMERGENCY CART (K TYPE)

Model	Size (L×D×H / mm)	Remark
KS-EMC5D-STP	660X510X1000(1070)	PINK

Top shelf : Stainless Steel 304
Body frame : Powder Coated Steel
Guard rail : SUS304
Drawer front : Powder Coated Steel
Drawer with removable ABS basket
Caster : 5 inch (Two with brake)



1 hoo;

2 catheter hook



3 Locking device

Gastroscope (ENDOSCOPIC CABINET)

Model	Size (L×D×H / mm)	Remark
KS-ESC-2	700×450×2100	2 Holder
KS-ESC-4	900×450×2100	4 Holder
KS-ESC-6	1200×450×2100	6 Holder

colon endoscope (ENDOSCOPIC CABINET)

Model	Size (L×D×H / mm)	Remark
KS-CSC-2	700×450×2220	2 Holder
KS-CSC-4	900×450×2220	4 Holder
KS-CSC-6	1200×450×2220	6 Holder

Features and Configuration

1. Made of highly corrosive stainless 304 material.
2. To maintain the safety and efficiency of endoscopic storage, it is designed for separate storage.
3. After cleaning, make sure to dry and store
4. Attach a separate fan to adjust the humidity of the interior.
5. Use 5T(Thickness) safety hardening glass to check the internal condition.
6. A locking device on the sliding door to prevent a loss

gastroscopic endoscope rotating field
ENDOSCOPIC CABINET(ROTATE TYPE)

Model	Size (L×D×H / mm)	Remark
KS-ESC-R6	700×700×2100	6 Holder
KS-ESC-R8	700×700×2100	8 Holder
KS-ESC-R10	700×700×2100	10 Holder

colon endoscopic rotating field
ENDOSCOPIC CABINET(ROTATE TYPE)

Model	Size (L×D×H / mm)	Remark
KS-CSC-R6	700×700×2220	6 Holder
KS-CSC-R8	700×700×2220	8 Holder
KS-CSC-R10	700×700×2220	10 Holder

Features and Configuration

1. Made of highly corrosive stainless 304 material.
2. To maintain the safety and efficiency of endoscopic storage, it is designed for separate storage.
3. After cleaning, make sure to dry and store
4. Attach a separate fan to adjust the humidity of the interior.
5. Use 5T(Thickness) safety hardening glass to check the internal condition.
6. A locking device on the sliding door to prevent a loss



1 a girl band



2 Holder



3 Holder

ACCESSORIES STAND

Model	Size (L×D×H / mm)	Remark
KS-AS-02	Φ500×1500~2200	–

Revolving accessory hanger stand to store full range of endoscopic accessories such as biospy forceps and snares instantly to hand.
Stainless steel 304 construction for rust proof and non contamination.
Height adjustable by knob
2" casters

ACCESSORIES STAND

Model	Size (L×D×H / mm)	Remark
KS-AS-03	Φ500×1500×2200	–

Revolving accessory hanger stand to store full range of endoscopic accessories such as biospy forceps and snares instantly to hand.
Stainless steel 304 construction for rust proof and non contamination.
Height adjustable by knob
2" casters

ENDOSCOPIC DRYING RACK STAND

Model	Size (L×D×H / mm)	Remark
KS-EH-4	Φ550×1200~1800	4 spheres

Stainless steel 304 pipe frame
Four holder for endoscopic
Height adjustable by knob
ABS plastic handle
Heavy duty ABS base with five legs
Five legs base with 3 inch dual casters

ENDOSCOPIC DRYING RACK STAND

Model	Size (L×D×H / mm)	Remark
KS-EH-6	Φ630×1200~1900	6 spheres
KS-EH-8	Φ630×1200~1900	8 Spheres
KS-EH-10	Φ630×1200~1900	10 District

Stainless steel 304 pipe frame
Height adjustable by knob
ABS plastic handle
2" casters

ENDOSCOPIC DRYING RACK (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-EH-W1	75×93×103	U Type

- Plastic
- Exclude tightening bolts when attaching alone

ENDOSCOPIC DRYING RACK (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-NEH-W1	120×40×40	R Type

- Plastic (Holder) + Steel (Braket)
- Cannot attach R Type Holder alone

ENDOSCOPIC DRYING RACK (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-EH-W2	W=380	2 Holder

- Interval is the basic size.
- You can make the size according to your requirements.
- Bar : Aluminium

ENDOSCOPIC DRYING RACK (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-EH-W3	W=710	3 Holder

- Interval is the basic size.
- You can make the size according to your requirements.
- Bar : Aluminium

ENPOSCOPIC LENS SAFER

Model	Size (L×D×H / mm)	Remark
KS-SH-1	Φ25~20	–

Endoscope Lens Safer
Rubber (Holder)
For U or R type endoscopic

ENPOSCOPIC LENS SAFER

Model	Size (L×D×H / mm)	Remark
KS-SH-S1	W=100	–

Endoscope Lens Safer Bracket/Holder
Rubber (Holder) + Steel (Braket)
For U or R type endoscopic

ENPOSCOPIC LENS SAFER

Model	Size (L×D×H / mm)	Remark
KS-SH-S2	W=245	–

Endoscope Lens Safer Bracket 2 Holder
Rubber (Holder) + Steel (Braket)
For U or R type endoscopic

APRON STORAGE RACK

Model	Size (L×D×H / mm)	Remark
KS-ASR	500×500×1450	10 Holder

Φ10 pie bar stainless steel 304 construction
10 holders and can be spread left and right
Four 3 inch casters



X-RAY ILLUMINATOR

Model	Size (L×D×H / mm)	Remark
KS-XR100	485×500×39	a high-end type
KS-XR200	850×500×75	a low-grade type
KS-XR300	1210×570×40	a high-end type
KS-XR400	1590×500×40	a high-end type

FILM CART

Model	Size (L×D×H / mm)	Remark
KS-FC1	650×500×850	SUS

Heavy duty SUS 304 construction
Fixed four partition
Integrated handle
Bumper to protect against wall
5 inch casters (Two with brakes)

FILM CART

Model	Size (L×D×H / mm)	Remark
KS-FC2	750×450×950	SUS

Heavy duty SUS 304 construction
Fixed three partition
Top shelf with 3 side guard rail
5 inch casters (Two with brakes)

FILM CART

Model	Size (L×D×H / mm)	Remark
KS-FC3	1200×500×1200	SUS

Heavy duty SUS 304 construction
Fixed ten partition
2.5 inch casters

FILM CART

Model	Size (L×D×H / mm)	Remark
KS-FC4	700×550×1150	Steel

Powder coated steel frame with handle
Fixed ten partition
5t guard rubber bumper
Four 5 inch casters (Two with brakes)

OPERATING STOOL

Model	Size (L×D×H / mm)	Remark
KS-271050	370×460×880~960	진찰용 A형

Artificial leather seat with back rest
Rotating round seat
Height adjustable by gas cylinder
(Operated by Hand lever)
Chrome nickeled base
Four 2 inch twin wheel casters

OPERATING STOOL

Model	Size (L×D×H / mm)	Remark
KS-263330	Φ370×510~700	진찰용 B형

Artificial leather seat
Rotating round seat
Height adjustable by gas cylinder
(Operated by Hand lever)
Chrome nickeled base with round foot rest
Four 2 inch twin wheel casters

OPERATING STOOL

Model	Size (L×D×H / mm)	Remark
KS-264820	Φ370×510~760	진찰용 C형,이동식
KS-264820C	Φ370×510~760	진찰용 C형,고정식

Artificial leather seat
Rotating round seat
Height adjustable by gas cylinder
(Operated by Hand lever)
Chrome nickeled base
Four 2 inch twin wheel casters

OPERATING STOOL

Model	Size (L×D×H / mm)	Remark
KS-267850	370×545×780~900	진찰용 O형

Artificial leather seat with back rest
Rotating round seat
Height adjustable by gas cylinder
(Operated by Hand lever)
Chrome nickeled base with round foot rest
Four 2 inch twin wheel casters

OPERATING STOOL

Model	Size (L×D×H / mm)	Remark
KS-262540	380×440×770~950	진찰용 D형

Artificial leather seat with back rest
Rotating round seat
Height adjustable by gas cylinder
(Operated by Hand lever)
Chrome nickeled base with round foot rest
Four 2 inch twin wheel casters

OPERATING STOOL

Model	Size (L×D×H / mm)	Remark
KS-270050	380×440×770~950	진찰용 D형

Artificial leather seat with back rest
Rotating round seat
Height adjustable by gas cylinder
(Operated by Hand lever)
Chrome nickeled base with round foot rest
Five 2 inch twin wheel casters

OPERATING STOOL

Model	Size (L×D×H / mm)	Remark
KS-DR-400	610×550×900~1170	제도용

Artificial leather seat with back rest
Rotating round seat with arm rest
Height adjustable by gas cylinder
(Operated by Hand lever)
Chrome nickeled base with round foot rest
Four 2 inch twin wheel casters

OPERATING STOOL(Balleo-s)

Model	Size (L×D×H / mm)	Remark
KS-BLOS		

Artificial leather seat with back rest
Rotating round seat with arm rest
Height adjustable by hydraulic
(Operated by Foot pedal)
Five 2 inch twin wheel casters
AL die casting base

WIRE SHELF CART

Model	Size (L×D×H / mm)	Remark
KS-WC2H-S	910×460×950	–
KS-WC2H-L	910×610×950	–

Heavy duty stainless steel 304 pipe frame
Two chrome plated wire shelves
Available more shelves upon request
Handle at both side
Adjustable height of each wire shelf by interval 30mm
Four 5 inch casters (Two with brakes)

WIRE SHELF CART

Model	Size (L×D×H / mm)	Remark
KS-WC3-S	910×460×950	–
KS-WC3-L	910×610×950	–

Heavy duty stainless steel 304 pipe frame
Three chrome plated wire shelves
Available two or more shelves upon request
Integrated handle
Adjustable height of each wire shelf by interval 30mm
Four 5 inch casters (Two with brakes)

WIRE SHELF CART

Model	Size (L×D×H / mm)	Remark
KS-WC2-S	910×460×950	–
KS-WC2-L	910×610×950	–

Heavy duty stainless steel 304 pipe frame
Two chrome plated wire shelves
Available more shelves upon request
Integrated handle
Adjustable height of each wire shelf by interval 30mm
Four 5 inch casters (Two with brakes)

WIRE SHELF CART

Model	Size (L×D×H / mm)	Remark
KS-WC3H-S	910×460×950	–
KS-WC3H-L	910×610×950	–

Heavy duty stainless steel 304 pipe frame
Three chrome plated wire shelves
Available two or more shelves upon request
Handle at both side
Adjustable height of each wire shelf by interval 30mm
Four 5 inch casters (Two with brakes)

WIRE SHELF

Model	Size (L×D×H / mm)	Remark
KS-W910S	910×460×1800	–
KS-W910L	910×610×1800	–
KS-W1220S	1220×460×1800	–
KS-W1220L	1220×610×1800	–
KS-W1520S	1520×460×1800	–
KS-W1520L	1520×610×1800	–
KS-W1820S	1820×460×1800	–
KS-W1820L	1820×610×1800	–

Heavy duty stainless steel 304 pipe frame
Four chrome plated wire shelves
Available SUS wire shelves upon request
Available less or more shelves upon request
Adjustable height of each wire shelf by interval 30mm
Adjustable foot

WIRE SHELF CART

Model	Size (L×D×H / mm)	Remark
KS-WC910S	910×460×1800	–
KS-WC910L	910×610×1800	–
KS-WC1220S	1220×460×1800	–
KS-WC1220L	1220×610×1800	–
KS-WC1520S	1520×460×1800	–
KS-WC1520L	1520×610×1800	–
KS-WC1820S	1820×460×1800	–
KS-WC1820L	1820×610×1800	–

Heavy duty stainless steel 304 pipe frame
Four chrome plated wire shelves
Available SUS wire shelves upon request
Available less or more shelves upon request
Adjustable height of each wire shelf by interval 30mm
Four 5 inch casters (Two with brakes)

WIRE MASH (OPTION)

Model	Size (L×D×H / mm)	Remark
KS-MASH-01	further consultation	–

WIRE MASH (OPTION)

Model	Size (L×D×H / mm)	Remark
KS-MASH-02	further consultation	–

PLASTIC DOUBLE CART

Model	Size (L×D×H / mm)	Remark
KS-PDSC	750×460×850	하중 60kg

Double plate available
Plastic body is light in weight and gives easy moving
Removable handle

PLASTIC TRIPLE CART

Model	Size (L×D×H / mm)	Remark
KS-PTSC	750×460×850	하중 60kg

Triple plate available
Plastic body is light in weight and gives easy moving
Removable handle

TOP TRACK SYSTEM

Model	Size (L×D×H / mm)	Remark
KS-TTS100	4000X1520X2000	–

01

Side Frame
An accessory that secures betweena column and a pillar.

02

Railing
Prevent the falling of products stored on a shelf

03

Divider
separation partition. Ease of product separation and storage

04

Handle Type
the Handle type can be combined for convenience of movement.

05


"S" hook
When use to arrange shelves and shelves at right angles or in a row

06

Peanut type Bracket
When arranging shelves in a row, combine columns with columns

07

Height adjusting bolt
Adjustment screw to adjust the height of the metal rack.

08

Sleeve
Fix it on a pole and join it to a shelf.

SLIDING METAL RACK SYSTEM

Model	Size			Remark
	W	D	H	
KS-SMRS	610	460	1500	Single/height/ rail length can be adjusted to fit space
	760		1800	
	910		1900	
	1070	610	2200	
	1220			
	1520			
	1820	450		
	750			
	900			
	1200			

■ Chromium, Stainless, Aluminium

five-inch wheel



three-inch wheel

two-inch wheel

Urethane Wheels
Wheels can be installed to facilitate the movement of metal racks/carts with ease,It is recommended that you use a 5-inch wheel to lift heavy goods and move them frequently.

TRUCK CART

Model	Size (L×D×H / mm)	Remark
KS-TC1	900×650×850	–
KS-TC1-1	1200×650×850	

Heavy duty stainless steel 304 solid construction
Integrated handle
Four 5 inch casters

TRUCK CART

Model	Size (L×D×H / mm)	Remark
KS-TC2	900×650×850	–
KS-TC2-1	1200×650×850	

Heavy duty stainless steel 304 solid construction
Integrated handle
4 side pipe guard rail
Four 5 inch casters

DANPRA(OPTION)

Model	Size (L×D×H / mm)	Remark
KS-DP-01	further consultation	–

LINEN SERVICE CART

Model	Size (L×D×H / mm)	Remark
KS-LSC1-M	1200×600×1600	–
KS-LSC1-L	1500×600×1600	

Heavy duty stainless steel 304 construction
Handle at both side
3 side pipe guard rail
5t guard rubber bumper
Four 5 inch casters (Two with brakes)

LINEN SERVICE CART

Model	Size (L×D×H / mm)	Remark
KS-LSC2-M	1200×800×1200	–
KS-LSC2-L	1500×800×1200	

Heavy duty stainless steel 304 construction
Handle at both side
4 side pipe guard rail and folding down door
5t guard rubber bumper
Four 5 inch casters (Two with brakes)

DELIVERY CART

Model	Size (L×D×H / mm)	Remark
KS-DVC1	1200×620×1030	–
KS-DVC2	1400×620×1030	

Heavy duty stainless steel 304 construction
Handle at both side
3 side guard rail
5t guard rubber bumper
Four 5 inch casters (Two with brakes)

WORK TABLE

Model	Size (L×D×H / mm)	Remark
KS-WRT03		

Heavy duty stainless steel 304 construction
Three plastic drawers with removable ABS baskets
Four 5 inch casters (Two with brakes)

WORK TABLE

Model	Size (L×D×H / mm)	Remark
KS-BWT01	2300×1100×900	–
KS-BWT02	2000×1100×900	–

Body : Stainless Steel Plate 304.
(Top Plate Support : 12,OT Wood Plate)
Higher Quality Caster 4EA.
Basket Composition.
A,B,S Basket : 560X410X55H & 560X410X125H
SUS Wire Basket : 560X410X125H & 560X410X190H

WORK TABLE

Model	Size (L×D×H / mm)	Remark
KS-WRT01	1500×700×900	–

Heavy duty stainless steel 304 construction
Three SUS drawers
Four 5 inch casters (Two with brakes)
Requested size available

WORK TABLE

Model	Size (L×D×H / mm)	Remark
KS-WRT02	1500×700×900	–

Heavy duty stainless steel 304 construction
Four 5 inch casters (Two with brakes)
Requested size available

SEALING TABLE

Model	Size (L×D×H / mm)	Remark
KS-SST01	900×600×1800	–

Shelf & Drawer : SUS 304 construction
Column : Aluminum
One drawer with Two shelves
Three wire baskets
(Size LxDxH : 400x300x150mm)
Sealing stand included
Four 5 inch casters (Two with brakes)

SEALING STAND

Model	Size (L×D×H / mm)	Remark
KS-SS01	800×380×700	–

Body : 304 Stainless Steel Plate
Support :304 Stainless Steel Pipe
Seal Guard : Stainless Bar Φ8 (2EA)
Seal Roller : MC Plastic

DUST BOX CART

Model	Size (L×D×H / mm)	Remark
KS-DBC	Φ500×800	–

Stainless Steel 304 Construction
4″ Swivel Caster 4EA

LINEN SERVICE CART

Model	Size (L×D×H / mm)	Remark
KS-LSC3-D2	740X575X1350	–

Desinged to delivery clean linen
3 side Aluminum panel
Column : Aluminum
Top & Bottom : ABS plastic
Aluminum hinged door
Two plastic drawers with removable ABS baskets
Four 5 inch casters (Two with brakes)

LINEN SERVICE CART

Model	Size (L×D×H / mm)	Remark
KS-LSC3-1	740×575×1000(1070)	–

Desinged to delivery clean linen
3 side Aluminum panel
Column : Aluminum
Top & Bottom : ABS plastic
Aluminum hinged door
Four 5 inch casters (Two with brakes)

FOOD CART

Model	Size (L×D×H / mm)	Remark
KS-FD1	Change according to size of plate size	40/48 Persons

Desinged to delivery food tray
Stainless steel 304 construction
Handle at both side
SUS 304 hinged door
Four 5 inch casters (Two with brakes)
Requested size or tray rail available

SAFETY MEDICINE CABINET

Model	Size (L×D×H / mm)	Remark
KS-C119EN	outside 412×363×360	Digital Lock
	Inside 320×230×260	

Capacity: 19ℓ
Gravity: 33 kg

SAFETY MEDICINE CABINET

Model	Size (L×D×H / mm)	Remark
KS-C119EK	outside 412×363×360	Digital Lock+
	Inside 320×230×260	Key Lock

Capacity: 19ℓ
Gravity: 33 kg

Internal Composition and Features

A door with a separate lock
Strong frame structure to block smoke and heat
Strengthen directionality with two-way(left and right) locking bolts.
Four door-side key hanger
Special surface processing: Scratching and Rust prevention

EN (Digital Lock)

EK (Key Lock)

Digital Rock EDL88 Features

FND Window: Number and function display
Password: Set 4 to 16 digits.
Double lock function: Two passwords must be entered to open the door.
False Function : Prevent user password exposure by placing a blank before and after the password.
LOCK Function: Locked when inputting wrong number more than 6 times
Hidden function: Password and sound hidden
Alarm function: alarm sound when the safe is tilted by more than 45 degrees or when an impact is applied
Batteries: Four 1.5V alkaline AA batteries
Battery replacement notification: Marking the LOW-BAT on the FND window



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA500	82×162(150)×41	–

- Drawer specification:73×146×32
- Partition standard:69×26



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA501	159×162(150)×41	–

- Drawer specification:73×146×32
- Partition standard:69×26



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA501-2	216×207(189)×63	–

- Drawer specification:102×185×53
- Partition standard:94×38



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA502	260×235(218)×72	–

- Drawer specification:122×212×62
- Partition standard:114×45



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA503	260×235(218)×72	–

- Drawer specification:250×212×62
- Partition standard:None



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA504	267×345(328)×99	–

- Drawer specification:126×322×90
- Partition standard:119×75



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA504-2	267×345(328)×99	–

- Drawer specification : 126×322×45
- Partition standard : 119×30



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA505	267×345(328)×99	–

- Drawer specification : 257×322×45
- Partition standard : horizontal 247×29 / Vertical 315×29



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA506	267×345(328)×99	–

- Drawer specification : 257×322×90
- Partition standard : horizontal 247×60 Vertical 315×60



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA507	400×235(217)×295	–

- Drawer specification:122×212×62
- Partition standard:None



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA508	330×164×227	–

- Drawer specification:73×146×32
- Partition standard:None



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA509	344×205(191)×270	–

- Drawer specification : 102×185×53
- Partition standard : 94×38



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA514	268×353(329)×110	–

- Drawer specification: 124×326×102
- Partition standard: 120×85



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA514-2	268×353(329)×110	–

- Drawer specification: 128×326×49
- Partition standard: 120×35



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA515	268×353(329)×110	–

- Drawer specification: 258×326×49
- Partition standard: horizontal 250×35 / Verlica 319×35



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA516	268×353(329)×110	–

- Drawer specification: 258×326×102
- Partition standard: horizontal 250×84 / Verlica 319×84



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA524	460×360(328)×200	–

- Drawer specification: 220×322×187
- Partition standard: 210×140



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA524-2	460×360(328)×200	–

- Drawer specification: 220×322×91
- Partition standard: 210×70



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA525	460×360(328)×200	–

- Drawer specification: 447×322×91
- Partition standard: horizontal 438×70 / Verlica 314×70



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA525-2	460×360(328)×200	–

- Drawer specification: 447×322×60
- Partition standard: horizontal 438×45 / Vertica 314×45



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA526	460×360(328)×200	–

- Drawer specification: 447×322×187
- Partition standard: horizontal 438×140 / Vertica 314×140



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA550	144×230(211)×112	–

- Drawer specification: 135×207×103
- Partition standard: 128×84



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA600	168×350(328)×156	–

- Drawer specification: 155×322×144
- Partition standard: 149×117



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA602	232×360(328)×200	–

- Drawer specification: 220×322×187
- Partition standard: 210×140



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA606	295×360(338)×357	–

- Drawer specification:CA505/CA506 Same
- Partition standard:None



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA607	295×360(338)×357	–

- Drawer specification:CA505S ame
- Partition standard:None

MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA702	101×120×150	–



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA703	151×140×200	–



MULTI BIN (PLASTIC)

Model	Size (L×D×H / mm)	Remark
KS-CA704	201×160×250	–

MULTI BIN CART

Model	Size (L×D×H / mm)	Remark
KS-CA1001	533×533(510)×1310	–

- Aluminium, MDF, Plastic
- CA501 : 400EA

MULTI BIN CART

Model	Size (L×D×H / mm)	Remark
KS-CA1004	680×383×1242	–

- Aluminium, MDF, Plastic
- CA704 : 3EA
- CA703 : 8EA
- CA702 : 18EA

MULTI BIN CART

Model	Size (L×D×H / mm)	Remark
KS-CA1002	662×662×1553	–

- Aluminium, MDF, Plastic
- CA702 : 112EA
- CA704 : 8EA

MULTI BIN CART

Model	Size (L×D×H / mm)	Remark
KS-CA1003	533×533×1383	–

- Aluminium, MDF, Plastic
- CA501 : 320EA
- MDF : 1EA

MMULTI BIN CART

Model	Size (L×D×H / mm)	Remark
KS-CA1003A	670×670×1366	–

- Aluminium, MDF, Plastic
- CA507 : 192EA

MULTI BIN CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-CA1113	842×400×1600	–

- CA514:14EA
- CA514-2:7EA
- CA515:7EA
- CA516:14EA

MULTI BIN CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-CA1114	1109×400×1600	–

- CA514:2EA
- CA514-2:2EA
- CA515:8EA
- CA516:8EA

MULTI BIN CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-CA1115	954×400×1650	–

- CA524:8EA
- CA524-2:4EA
- CA525:2EA
- CA526:2EA

MULTI BIN CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-CA1116	1414×400×1650	–

- CA524:15EA

MULTI BIN CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-CA1101	1105×400×1100	–

- CA504:10EA
- CA504-2:10EA
- CA505:10EA
- CA506:10EA

MULTI BIN CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-CA1102	1375×400×1650	–

- CA504:20EA
- CA504-2:10EA
- CA505:10EA
- CA506:10EA

MULTI BIN CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-CA1104	1420×460×1650	–

- CA504:20EA
- CA504-2:10EA
- CA505:10EA
- CA506:10EA

MULTI BIN CART

Model	Size (L×D×H / mm)	Remark
KS-SS-33	600×520×1520	–

Requested modification or configuration available
CA702:36EA
CA703:24EA
CA704:6EA

TRAY RACK CART (SUS)

Model	Size (L×D×H / mm)	Remark
KS-TRC	1400×620×1320	–

SUS 304 pipe construction
Handle at both side
5 inch casters (Two with brakes)
Requested tray rack size production available

PASS BOX SYSTEM

Model	Size (L×D×H / mm)	Remark
KS-PBS36		36 Person

SUS 304 construction
Each door opened by key number
Requested door size or q'ty production available

U.V STERILIZER

Model	Size (L×D×H / mm)	Remark
KS-US-050H	500×410×510	250Watt

Model	Size (L×D×H / mm)	Remark
KS-LSC4	750X575X1450	–

3 side Aluminum panel
Column : Aluminum
Top & Bottom : ABS plastic
Aluminum hinged door
ABS baskets
Four 5 inch casters (Two with brakes)

TRAY RACK CART

Model	Size (L×D×H / mm)	Remark
KS-TRC	1400×620×1320	–

SUS 304 construction with hinged door
Handle at both side
4 side corner bumper
Four 5 inch casters (Two with brakes)



BED MONITOR ARM

Model	Size (L×D×H / mm)	Remark
KS-BMA-01		MONITOR ARM
KS-BC-01		CHART CASE

[3 MOTOR]

MOTORIZED PATIENT–CONTROL BED

Model	Size (L×D×H / mm)	Remark
KS-KY-001-1	2080×850×400	power-operated formula



3MOTOR GATCH BED

- All motorized, head & Knee positions
  Detachable head and foot boards are made of polyester dressed polywood with steel reinforced plastic grips at both ends(Made–order production)
- Motor : AC 220v 50 ~ 60Hz DC 24V Dewert, Germany
- Caster : 4",Swevle Caster
- Finish : Electrostatic Powder Spray Coating



[2 MOTOR]

MOTORIZED PATIENT–CONTROL BED

Model	Size (L×D×H / mm)	Remark
KS-KY-002-2	2080×850×400	power-operated formula



2MOTOR GATCH BED

- All motorized, head & Knee positions
  Detachable head and foot boards are made of polyester dressed polywood with steel reinforced plastic grips at both ends(Made–order production)
- Motor : AC 220v 50 ~ 60Hz DC 24V Dewert, Germany
- Caster : 4",Swevle Caster
- Finish : Electrostatic Powder Spray Coating

[1 MOTOR]

MOTORIZED PATIENT-CONTROL BED

Model	Size (L×D×H / mm)	Remark
KS-KY-002-3	2080×850×400	power-operated formula



1MOTOR GATCH BED

- All motorized, head & Knee positions
  Detachable head and foot boards are made of polyester dressed polywood with steel reinforced plastic grips at both ends(Made-order production)
- Motor : AC 220v 50 ~ 60Hz DC 24V Dewert, Germany
- Caster : 4",Swevle Caster
- Finish : Electrostatic Powder Spray Coating

[2 CRANK]

MOTORIZED PATIENT-CONTROL BED

Model	Size (L×D×H / mm)	Remark
KS-KY-005	2080×850×500	2CRANK BED



OPTIONAL ACCESSORY

- Dependent : 1EA
- Caster : 1SET(4"Swivel Caster 4EA)
- Side rail : 2EA
- I.V.Pole : 1EA
- Mattress : 1EA

SPECIFICATION

- Bed Top Frame : T 2.3mm Steel Plate
- Bed Top : Steel plate
- Head/Foot Board : P·P(Poly Propylene)
- Crank : Φ32 Steel Pipe, Universal joint crank
- HandleNylon resins 2EA (Slide Type)
- Bumper :T 25 X Φ100mm Nylon resins 4EA
- FinishElectrostatic Power Spray Coating
  (Use of the epoxy-polyester resins)



[1 CRANK]

pediatric bed

Model	Size (L×D×H / mm)	Remark
KS-KY-012	1880×850×500	1CRANK BED



OPTIONAL ACCESSORY
- Dependent : 1EA
- Caster : 1SET(4"Swivel Caster 4EA)
- Side rail : 2EA
- I.V.Pole : 1EA
- Mattress : 1EA

SPECIFICATION
- Bed Top Frame : T 2.3mm Steel Plate
- Bed Top : Steel plate
- Head/Foot Board : P·P(Poly Propylene)
- Crank : Φ32 Steel Pipe, Universal joint crank
- Handle : Nylon resins 2EA (Slide Type)
- Bumper :T 25 X Φ100mm Nylon resins 4EA
- Finish : Electrostatic Power Spray Coating
  (Use of the epoxy-polyester resins)

PILLOW

Model	Size (L×D×H / mm)	Remark
KS-PL-01	further consultation	–

Requested size available

MATRESS

Model	Size (L×D×H / mm)	Remark
KS-MAT01	1800×700×50	General (50T)
KS-MAT02	1870×880(830)×50	for children (50T)

Requested size available

ATTENDANT BED

Model	Size (L×D×H / mm)	Remark
KS-KY-014	1600×550×250	–

Powder coated steel frame
Two 2 inch casters

EXAMINING TABLE

Model	Size (L×D×H / mm)	Remark
KS-KY-025	1800×600(700)×650	–

Powder coated steel frame
40T sponge with artificial leather cover
Leg : 30 x 50 mm steel pipe

EXAMINING TABLE

Model	Size (L×D×H / mm)	Remark
KS-KY-026	1800×600(700)×650	–

Powder coated steel frame
40T sponge with artificial leather cover
Leg : 30 x 50 mm steel pipe
Foldable aluminum side rail at both side

EXAMINING TABLE

Model	Size (L×D×H / mm)	Remark
KS-KY-027	1800×600(700)×650	–

Powder coated steel frame
40T sponge with artificial leather cover
Leg : 30 x 50 mm steel pipe
Foldable aluminum side rail at both side
5 inch casters (Two with brakes)

CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-KY-056	400×400×700	1 Person

CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-KY-057	450×420×1800	1 Person

CABINET (WOOD)

Model	Size (L×D×H / mm)	Remark
KS-KY-058	450×420×1800	Personal Rocker

EXAMINING BED

Model	Size (L×D×H / mm)	Remark
KS-EB	1800×700×650	Steel

Powder coated steel frame
40T sponge with artificial leather cover
Leg : 30 x 50 mm steel pipe

EXAMINING BED

Model	Size (L×D×H / mm)	Remark
KS-EBD	1800×700×650	Drawer Type

Powder coated steel frame
40T sponge with artificial leather cover
Leg : 30 x 50 mm steel pipe
Three wood drawers

EXAMINING BED

Model	Size (L×D×H / mm)	Remark
KS-EB300	1900×600×650	Steel

80T sponge with artificial leather cover

When I lowered the guide rail

SHOWER TROLLEY (STANDARD)

Model	Size (L×D×H / mm)	Remark
KS-STC2	1900×600×750	Standard

SPECIFICATION

Stainless Steel Pipe 304 Construction.
Top plate : Long hole plate.
Side rail : swing Type 2EA.
4Inch Swivel Caster 4EA. (Brake 2EA)

INFANT BASSINET STAND

Model	Size (L×D×H / mm)	Remark
KS-IBS1	720×440×800	High Quality

- Stainless Steel Pipe 304 Frame
- P.V.C Clear crib with 50mm Mattress
- 4 Inch Swivel Caster 4EA

INFANT BASSINET STAND

Model	Size (L×D×H / mm)	Remark
KS-IBS2	720×440×800	Standard

- Stainless Steel Pipe 304 Frame
- P.V.C Clear crib with 50mm Mattress
- 4 Inch Swivel Caster 4EA

STRETCHER CART

Model	Size (L×D×H / mm)	Remark
KS-SC1	1900×600×700	Standard

- Stainless Steel 304 Construction
- 5 ″ Swivel Brake Caster 4EA
- Accessories : Mattress, I.V Pole

STRETCHER CART

Model	Size (L×D×H / mm)	Remark
KS-SC2	1900×600×700	Isolated passive

- Stainless Steel 304 Construction
- 5 ″ Swivel Brake Caster 4EA
- Accessories : Mattress, I.V Pole

3단 STRETCHER CART

Model	Size (L×D×H / mm)	Remark
KS-SC3	1900×700×750	Steel

- Body : Steel (Powder Painting Management)
- 5 ″ Swivel Brake Caster 4EA
- Accessories : Mattress, I.V Pole

3단 STRETCHER CART

Model	Size (L×D×H / mm)	Remark
KS-SC4	1900×600×750	SUS

- Stainless Steel 304 Construction
- 5 ″ Swivel Brake Caster 4EA
- Accessories : Mattress, I.V Pole



3단 PROTECTOR BED / CHAIR

Model	Size (L×D×H / mm)	Remark
KS-YBA1003	561×1777×338	BED SIZE
	561×865×750	CHAIR SIZE

3단 PROTECTOR BED / CHAIR

Model	Size (L×D×H / mm)	Remark
KS-YBA1004	500X1800X340	BED SIZE
	500X865X750	CHAIR SIZE

SHOWER TROLLER

Model	Size (L×D×H / mm)	Remark
KS-STC	2000×750×700	–

SHOWER TROLLER

Model	Size (L×D×H / mm)	Remark
KS-STC1	2000×800×500~900	–

STRETCHER CART

Model	Size (L×D×H / mm)	Remark
KS-HDSC200	1825×615×540~870	Weight 55 kg

Height adjustable by hydraulic foot pedal
Powder coated steel frame
Mattress thickness 60 mm
Loading capacity : 170 kg
Backrest adjustable by gas spring
(Adjustable angle 0 ~ 70 degree)
6 inch locking brake casters X 4 EA
Push handle at head & foot side
IV pole, O2 tank holder included

ADDITIONAL OPTIONS

Available for MRI, upon request
ABS basket available at the bottom, upon request

FEATURE & USAGE

1. It can be easily bathed for patients or people who are in poor motion.
2. Convenient SIDE ONE-TOUCH type SIDERAIL.
3. Minimize corrosion due to all STAINLESS STEEL production
4. Convenient to use by attaching drains to a tarpaulin

FUNCTIONING (Side Rail)



SPECIFICATION

- Stainless Steel pipe 304 Constuction.
  (Electronic Powder Painting Surface)
- Higher quality brake Caster 8 EA.
- Power Supply : AC 220V, 60Hz 1.5A
- Top Plate : 10mm Laminated synthetic material
- Electric code water proof Box.

FEATURE & USAGE

1. It can be easily bathed for patients or people with poor mobility, and it can be adjusted high by power for the convenience of caregivers
2. The height can be adjusted using the power-operated remote control and can be lowered to a minimum of 500mm for use in low beds.
3. Adjust the slope angle of the top plate on the head for easy drainage during shower or after use
4. Charging batteries and motors are made for complete waterproofing

Central locking caster type (Option)

ENDOSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-ES300-400A	720×600×1180	–
KS-ES300-480A	800×600×1180	–

Shelf : 400X545

SPECIFICATION

Shelf : Powder coated steel
5 inch casters (Two with brakes)
Handle : ABS plastic
Corner ring : Plastic
Endoscope holder : ABS plastic
Rotatable monitor Arm
(Option : Dual monitor arm available)
Arm type keyboard shelf
(Option: Sliding type available)
Available open back panel door
Main power switch connected with multi plug
Height adjustable middle shelf upon request
Requested shelf size production available

ASSIST MONITOR CART

Model	Size (L×D×H / mm)	Remark
KS-HDMC-01	Φ720×400~1900	27" 이하

SPEC : 3"Caster, Wire Basket, Aluminium, Stainless, Plastic Cart for Auxiliary Monitor

ASSIST MONITOR CART

Model	Size (L×D×H / mm)	Remark
KS-HDMC-N	710X700X1750~2130	40~65 inch



ENDOSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-ES350-400A	560×670×1220	articulated keyboard

Shelf : 400X545 Weight: 70kg

SPECIFICATION

Shelf : Powder coated steel
5 inch casters (Two with brakes)
Handle : ABS plastic
Corner ring : Plastic
Endoscope holder : ABS plastic
Rotatable monitor Arm
(Option : Dual monitor arm available)
Arm type keyboard shelf
(Option: Sliding type available)
Available open back panel door
Main power switch connected with multi plug
Height adjustable middle shelf upon request
Requested shelf size production available

Type T

ㄱ Type

ENDOSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-ES350-480S	640×670×1220	slide type keyboard

Shelf : 480X545 ■ Weight: 70kg

KOSANMEDICO

Detail image

ENDOSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-ES450-480S-OL	630×660×1180	–

Shelf:480X550 Weight: 52kg

ENDOSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-ES450-480S-FU	630×660×1180	–

Shelf:480X550 Weight: 52kg
SPEC:4″ Caster, Keyboard Slide, 110V×6
ADD:Lcd Arm(s)

ENDOSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-ES600-480G	650×795×1450	G.DOOR

Detail image

ENDOSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-ES500-480S	630×630×1210	–

Shelf:480X540
SPEC:4″ Caster, Keyboard Slide, 110V×6
ADD:Lcd Arm(s)

ARTHROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-AS300-400	725×600×1230	–

Shelf:480X550
SPEC:5″ Caster, Lcd Arm(s), 220V x 6
110V x 6
ADD : Keyboard Slide, Joint Arm, Oxygen tank Holder

ARTHROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-AS350-480S	630×670×1300	–

Shelf:480X545
SPEC:5″ Caster, Lcd Arm(s), 220V x 6, Keyboard Slide
ADD:IV Hnager, Oxygen tank Holder

ARTHROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-AS450-480-4	630×650×1255	4 Plate
KS-AS450-480-5	630×650×1355	5 Plate

Shelf:480X530
SPEC:4″ Caster, Lcd Arm(s), 220V x 6
ADD:IV Hnager, Keyboard Slide, Oxygen tank Holder

KOSANMEDICO

ARTHROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-AS-LVT-A	520×700×1345	–

Shelf:370X565
SPEC:5″ Caster, Stand Arm
ADD:Joint Arm, Extnsion Arm, Keyboard Slide

ARTHROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-AS-LVT-B	520×700×1345	–

Shelf:370X565
SPEC:5″ Caster, Stand Arm, Keyboard Slide
ADD:Joint Arm, Extnsion Arm

general type Without pump hook

LAPAROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-LS350-480	640×670×1300	–

Shelf:480X545
SPEC:5″ Caster, Oxygen tank Holder, Drawer,
Lcd Arm(s), Pump Hanger
ADD:Keyboard Slide, IV Hanger

LAPAROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-LS350-480S-LOW	640×670×1300	–

Shelf:480X545
SPEC:5″ Caster, Oxygen tank Holder, Drawer, Lcd Arm(s),
Keyboard Slide, Pump Hanger, IV Hanger, 220V x 6

ARTHROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-AS-AR	550×600×1345	–

Shelf:400X440
SPEC:5″ Caster, Keyboard Slide, Joint Arm,
Extension Arm, Wire Basker

LAPAROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-LS300-480	790×600×1350	–

Shelf:480X530
SPEC:4″ Caster, Oxygen tank Holder, Drawer,
Lcd Arm(s), IV Hanger, 220V x 6, 110 x 6
ADD:Keyboard Slide, Joint Arm

LAPAROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-LS450-480	630×650×1255	–

Shelf:480X530
SPEC:4″ Caster, Oxygen tank Holder, Drawer,
Lcd Arm(s), 220V x 6
ADD:Keyboard Slide, IV Hanger

LAPAROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-LS350-480-BB	550×670×1300	–

Shelf:400X545
SPEC:5″ Caster, Oxygen tank Holder, Drawer, Joint Arm,
Extension Arm

KOSANMEDICO

LAPAROSCOPE CART

Model	Size (L×D×H / mm)	Remark
KS-LS450-480-BB	630×670×1300	–

Shelf:480X545
4 Caster, Oxygen Tank Holder (2EA) Back

E.N.T CART

Model	Size (L×D×H / mm)	Remark
KS-ENT300-480-3CCD	720×600×1180	–

Shelf:400X530
SPEC:5 Caster, Joint Arm, 220V×6, 110V x 6
Acrylic Hanger, Glass Tube
ADD:Drawer, Keyboard Slide

E.N.T CART

Model	Size (L×D×H / mm)	Remark
KS-ENT300-600W	920×600×1310	–

Shelf:600X550
SPEC:5" Caster, Joint Arm, Drawer
ADD:Lcd Arm(s), Acrylic Hanger, Glass Tube

E.N.T CART

Model	Size (L×D×H / mm)	Remark
KS-ENT450-480W	630×560×1045	–

Shelf:480X440
SPEC:4 Caster, 220V x 6
ADD:Lcd Arm(s), Keyboard Slide, Drawer

E.N.T CART

Model	Size (L×D×H / mm)	Remark
KS-ENT350-480	630×670×1090	–

Shelf:480X445
SPEC:5" Caster, Lcd Arm(s), Acrylic Hanger, 220V×6
ADD:Keyboard Slide, Drawer

E.N.T CART

Model	Size (L×D×H / mm)	Remark
KS-ENT450-480	630×560×1045	–

Shelf:480X445
SPEC:4" Caster, Acrylic Hanger, 220V×6
ADD:Keyboard Slide, Drawer, Lcd Arm(s),

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC350	680×620×835	–

Shelf:520X495
SPEC:5" Caster, Lcd Arm(s), Keyboard Slide, 220V x 6
ADD:Joint Arm, Drawer

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC350D	680×620×832	–

Shelf:520X495
SPEC:5" Caster, Keyboard Slide, 220V x 6
ADD:Joint Arm, Lcd Arm(s),

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC450	670×620×800	–

Shelf : 520X495
SPEC : 4"Caster, Lcd Arm(s), Keyboard Slide, 220V×6
ADD : Joint Arm, Drawer

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC350S	680×620×1090	–

Shelf : 520X495
SPEC : 5"Caster, Keyboard Slide, 220V×6
ADD : Lcd Arm(s), Drawer Plate

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC350-DM	620×570×1070	–

Shelf : 480X460
SPEC : 4"Caster, Mouse Plate, PC Braket, 220V×6
ADD : Lcd Arm(s), Joint Arm

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC450-DM	610×520×960	–

Shelf : 470X450
SPEC : 4"Caster, Mouse Plate, PC Braket, 220V×6
ADD : Lcd Arm(s), Joint Arm

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC450-SDM	670×600×1010	–

Shelf:520X415
SPEC : 3"Caster, Lcd Arm(s), Mouse Plate, Drawer 220V x 4

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PCSU-D1	500×475×1045	–

4"Caster, Lcd Arm(s), Drawer SUS 304

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PCSU-DS	500×350×1063	–

4"Caster, Lcd Arm(s), Keyboard Slide, Drawer, SUS 304

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC-KC01	510×575×885	–

Shelf : 490X460
3"Caster, Keyboard Slide

KOSANMEDICO

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC-YW01	600×575×880	–

Shelf:600X515
4" Caster, Drawer, Handle, 220V×6

PC CART

Model	Size (L×D×H / mm)	Remark
KS-PC-KW01	560×580×830	–

Shelf:500X500
5" Caster, Handle, Keyboard Slide, 220V×6

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT350-D2	590×520×815	–

Shelf:440X460
SPEC : 4" Caster, 4 Handle, Drawer
ADD : Keyboard Slide

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT500-L1	640×520×860	–

Shelf:500X463
SPEC : 5" Caster, 4 Handle
ADD : Keyboard Slide, Drawer, Basket, Plate

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT350	590×520×815	–

Shelf:440X460
SPEC : 5" Caster, 4Handle, Keyboard Slide, Basket, Drawer, Plate

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT350-B	590×520×815	–

Shelf:440X460
SPEC : 5" Caster, 4 Handle, Basket
ADD : Keyboard Slide, Drawer

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT500-P1	640×520×860	–

Shelf:500X463
SPEC : 5" Caster, 4 Handle
ADD : Keyboard Slide, Drawer, Basket

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT450-D3	670×620×800	–

Shelf:520X495
SPEC : 4" Caster, Drawer, 220V x 6
ADD : Lcd Arm(s), Joint Arm

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT450-S-B	580×470×730	–

Shelf : 480X430
SPEC : 3"Caster, Keyboard Slide
ADD : Drawer, Plate

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT350-US	680×620×835	–

Shelf :520X610
SPEC : 5"Caster, Drawer, Gel Bracket
ADD : Lcd Arm(s), Joint Arm

MULTI CART

Model	Size (L×D×H / mm)	Remark
KS-MT500-DB	640×460×800	–

Shelf : 500X400
3"Caster, Drawer, Bracket, Basket

BOVIE CART

Model	Size (L×D×H / mm)	Remark
KS-BV450-D	540×520×840	–

Shelf :400X500
SPEC : 4"Caster, Drawer
ADD : Lcd Arm(s), Drawer Basket

KOSANMEDICO

BOVIE CART

Model	Size (L×D×H / mm)	Remark
KS-BV-BW	610×570×1000	–

Shelf :450X300, 450
5"Caster, Drawer, Basket

BOVIE CART

Model	Size (L×D×H / mm)	Remark
KS-BV-VL-UC	500×560×880	–

Shelf : 470X495
5"Caster, The Upper Shelf, Oxygen Tank Holder

BOVIE CART

Model	Size (L×D×H / mm)	Remark
KS-BV-UES40	380×470×815	–

Shelf : 370X420
4"Caster, Steel, Corner Safe Rubber

Blood pressure system

Model	Size (L×D×H / mm)	Remark
KS-SM-01	460×400×800	–

SPEC : Adjust Foot Rubber
ADD : Wire Basket, Caster

STANDARD HANGER

Model	Size (L×D×H / mm)	Remark
KS-EGH-L	H=610	Φ14 PIPE

JOINT HANGER

Model	Size (L×D×H / mm)	Remark
KS-NEGH-H	H=860	Φ14 PIPE

EKG CART

Model	Cart Size (L×D×H/mm)	Inner Size (L×D×H/mm)
KS-EG-S	405×325×740	370×285×15
KS-EG-M	530×325×740	490×280×15
KS-EG-L	485×405×740	440×365×15
KS-EG-B	540×465×740	490×420×15

3"Caster, General Hanger, Steel

EKG CART (STANDERD HANGER)

Model	Cart Size (L×D×H/mm)	Inner Size (L×D×H/mm)
KS-EG-S-L	405×325×740	370×285×15
KS-EG-M-L	530×325×740	490×280×15
KS-EG-L-L	485×405×740	440×365×15
KS-EG-B-L	540×465×740	490×420×15

3"Caster, Standard Hanger, Steel

EKG CART (JOINT HANGER)

Model	Cart Size (L×D×H/mm)	Inner Size (L×D×H/mm)
KS-EG-S-H	405×325×740	370×285×15
KS-EG-M-H	530×325×740	490×280×15
KS-EG-L-H	485×405×740	440×365×15
KS-EG-B-H	540×465×740	490×420×15

3"Caster, Joint Hanger, Steel

EKG CART

Model	Size (L×D×H / mm)	Remark
KS-EG-7402	485×405×820	Hole (x)

SPEC : 3"Caster, Steel
ADD : Wire Basket
Plate : Outside 480x405x25 / Inside 440x365x15

EKG CART

Model	Size (L×D×H / mm)	Remark
KS-EG-7402-H	485×405×820	Hole (o)

SPEC : 3"Caster, Steel, Paper supply space
ADD : Wire Basket
Plate : Outside 480x405x25 / Inside 440x365x15

EKG CART

Model	Size (L×D×H / mm)	Remark
KS-SM-02	485×405×820	–

3"Caster, Wire Basket
Plate : Outside 480x405x25 / Inside 440x365x15

ECG CART

Model	Size (L×D×H / mm)	Remark
KS-EG-1350	300×380×900	–

4"Caster

EKG CART

Model	Size (L×D×H / mm)	Remark
KS-EG-DP	320×350×878	–

3"Caster, Keyboard Plate, Basket

NEBULIZER

Model	Size (L×D×H / mm)	Remark
KS-NE-01	415×450×875	–

SUS 304
Nebulizer

BEAUTY

Model	Size (L×D×H / mm)	Remark
KS-EG450	310×370×733	–

3"Caster

MEB

Model	Size (L×D×H / mm)	Remark
KS-EG-MEB	500×608×820	–

4"Caster, Mouse Plate, Lcd Arm

BEAUTY

Model	Size (L×D×H / mm)	Remark
KS-GEG000I	600×1370	–

3"Caster





ASSIST MONITOR CART (MOTOR)

Model	Size (L×D×H / mm)	Remark
KS-HDMC-02	Φ630×1430~1930	–

2.5"Caster, Steel, Aluminium, Plastic, Motor
Using 220V

Easily move the monitor up and down.
You can adjust the height using the remote controll
You can adjust the VESA HOLE depending on the type of monitor.
220 volts of electricity

Remote control



VESA hole

Adjust hole spacing

Handle

Adjust hole spacing

Monitor cart

This is a cart for patient-monitoring devices.
It can be applied to almost any brand.
Basically, the shape is the same, and you can change the part.
The fixing plates connected to the fastener plate are fabricated for each equipment and attached to the bolts.
Built-in for transportation and storage of consumables.
It is faithful to the basics that require transportation and storage of consumables.
Parts can be disassembled for storage, logistics, and assembly.

Model	Size (L×D×H / mm)	Remark
KS-AIR-H		Φ 14

A ventilator cart

Configuration model for ventilators.
A base of 550 mm in diameter for compacting;
120mm in diameter, plus stability.
Dedicated bracket for attaching the humidifier.
Wire basket for storage of various consumables.
220V Multi-tab with two electronic devices.
Handles for easy movement are applied.
The fastening plates are connected together with the fixing plates so that different models can be applied.

가습기 거치를 위한 전용 브라켓
(호환 여부는 사전 협의요망)

콘센트를 하나로 통합하기 위한
멀티 탭 (220V-선택사양)

A ventilator cart

Model	Size (L×D×H / mm)	Remark
KS-VL-01	Φ550×880	–

Monitor cart(Fixted)

Model	Size (L×D×H / mm)	Remark
KS-MCB-01	Φ630×1050	–

It's a height fixed model. The basket and handle consist of the same assembly, with a fastening plate attached to the top to attach a suitable fixture plate. The monitor fixture plate is bolted together with the fastener.

Monitor cart (Sliding)

Model	Size (L×D×H / mm)	Remark
KS-MCB-02	Φ630×1050	–

It's a height fixed model. The basket and handle consist of the same assembly, with the mounting plate on the top which can be secured by sliding the fixing plate made for the monitor. The monitor fixture plate is inserted into the mounting plate and secured with pins. The mount plate area can be tilted slightly.

monitor cart (fixed+top-up)

Model	Size (L×D×H / mm)	Remark
KS-MCB-03	Φ630×1100~1900	–

It's a height-moving model. It is possible to adjust the top and bottom manually. The basket and handle consist of the same assembly, with a fastening plate attached to the top that allows for the attachment of a fixed plate made to fit the monitor. The monitor fixture plate is bolted together with the fastener.

monitor cart (slide+up/down height)

Model	Size (L×D×H / mm)	Remark
KS-MCB-04	Φ630×1100~1900	–

It's a height-moving model. It is possible to adjust the top and bottom manually. At the top, there is a mounting plate that can be secured by sliding the fastening plate into place, which is designed for the monitor The monitor fixture plate is inserted into the mounting plate and secured with pins. The mount plate area can be tilted slightly.

a fastening plate(Fixed)

Fixed to the top of the column. Connect the equipment fixture plate to the fastener plate for use.

Equipment fixed plate (fixed)

The equipment fixture plate is built differently depending on the position of the fixed holes on the monitor.

Equipment fixed plate (slide)

The equipment fixed plate can vary depending on the characteristics of the monitor.
It is inserted in the fastening plate.
Produce them in consideration of the presence of supports at the bottom.

A fastening plate(Slide)

Mounting plates can be inserted left and right.
Fix the equipment attachment plate with the pin.
The mounting plate supports a little tilting (angle control).

Insert Sliding

Equipment fixed plats are made by sliding way.

Pin fixation Way

The sliding equipment fixed plate is pin-fixed.

High-low control bracket

In case of model with adjustable height, You can rotate the handle to determine its height, lock it, and then fix it with a bolt attached to the side.

Handle

Handles that make the move easier can be removed or attached by the user depending on the situation.

Separation type column

Depending on the user's movement and logistics method, columns can be removed and moved. Production methods need to be discussed in advance.

01 ABS-S

Suitable for small and light use.
It's a little lower in center than the other bases.

Model	Size (L×D×H / mm)	Remark
KS-ABS-S	ϕ550	A.B.S Plastic

02 ABS-L

Basically, it has weight and is used in a variety of ways.
The center is slightly higher than the other bases.

Model	Size (L×D×H / mm)	Remark
KS-ABS-L	ϕ630	A.B.S Plastic

03 AL-S

Aluminium materials are resistant to impact.
You can change the color by Powder Coating.

Model	Size (L×D×H / mm)	Remark
KS-AL-S	ϕ550	Aluminium

04 AL-L

Aluminium materials are resistant to impact.
You can change the color by Powder Coating.

Model	Size (L×D×H / mm)	Remark
KS-AL-L	ϕ700	Aluminium



05 Weight Pendulum

After the cart is constructed, you can apply weights to the lower center. Apply to maintain a stable posture

Model	Size (L×D×H / mm)	Remark
KS-AC-CH120	ϕ120	1.7kg
KS-AC-CH150	ϕ150	2.6kg
KS-AC-CH200	ϕ200	5kg
KS-AC-CH250	ϕ250	10.5kg

06 Weight Pendulum

The weight pendulum is attached to the bottom of the base by tightening the bolts.

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-BHR-U	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle
Mesh basket
bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-BHR-UC	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
Circle plastic basket with handle
Bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-BHR	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle
Mesh basket

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-BR	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
Mesh basket

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-NR-C	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
Circle plastic basket with handle

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-HR-U	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle
Mesh basket
bottle holder

KOSANMEDICO

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-HR	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-BR-U	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle
bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-NR-U	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob
bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-NR	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-N	Φ550×1270	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
ABS five leg base
2.5 inch single wheel
Adjustabl height by knob

Foldable hooks (Option)

Five leg base



Height adjustable knob

Circle ABS basket with handle

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-BHR-U	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle
Mesh basket
bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-BHR-UC	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
Circle plastic basket with handle
Bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-BHR	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle
Mesh basket

Model	Size (L×D×H / mm)	Remark
KS-IV-A-BR	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
Mesh basket

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-NR-C	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
Circle plastic basket with handle

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-HR-U	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
Mesh basket
bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-HR	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-BR-U	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
ABS plastic handle
bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-NR-U	Φ550×1250~2000	

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob
bottle holder

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-NR	Φ550×1250~2000	–

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
4 hooks (SUS 304)
AL five leg base
2.5 inch single wheel
Adjustabl height by knob

IV POLE STAND

Model	Size (L×D×H / mm)	Remark
KS-IV-A-N	Φ550×1270	_

SUS 304 pipe
Outer pipe 27 pie
Inner pipe 22 pie
AL five leg base
2.5 inch single wheel
Adjustabl height by knob

Foldable hooks (Option)

Five leg base

Height adjustable knob

Circle ABS basket with handle

COLUMN (S-TYPE)

Model	Size (L×D×H / mm)	Remark
KS-ARM-SW	H=350	S type

HOLE 19.8mm

ARM HEAD

Model	Size (L×D×H / mm)	Remark
KS-ARM-HD	H=350	Head

General Weight: not more than 24 inches of normal load (including)
High Weight: normal 24 inches or more (including)
24 inches is available in common
(this may varydepending on the weight of the manufactured product)

A monitor stand

A monitor stand
Monitor stand for profile carts (monitor arm). Compatible only with Kosanmedico carts, the diameter is inserted in a 19.8mm hole. VESA Support for Stand on monitors with holes in the VESA specification. When purchasing, VESA Holes must be checked for existence A 360 degree swing is available for 24 inches or less. The head supports pivot (90 degrees) and tilt functions.

LCD ARM (S-TYPE) SET

Model	Size (L×D×H / mm)	Remark
KS-SARM		S type



KS-ARM-AB H : 260

COLUMN (ㄱ-TYPE)

Model	Size (L×D×H / mm)	Remark
KS-ARM-AA	(350X250)	–

COLUMN (I-TYPE)

Model	Size (L×D×H / mm)	Remark
KS-ARM-AC	H:230	–

Tighten the bolts to prevent the head of the arm from being dislodged after being inserted into the column body.

To prevent the female head from rotating, a second tightening is provided with the knob to prevent rotation

General Weight
The force is increased by the number of coils in the spring. Up to 24 inches, which is used as a standard. If the monitor is heavy, the head goes down.

High Weight
The force is increased by the number of coils in the spring.
.Use for screen monitors and applies at least 24 inches and If the monitor is light, the head will rise.



A monitor stand I-TYPE

Compatible only with Kosanmedico carts, the diameter is inserted in a 19.8mm hole and Monitor stand for profile carts Support for Stand on monitors with holes in the VESA specification. When purchasing, VESA Holes must be checked for existence Very effective for distance adjustment in complex structures and environments You can select a location around the three-part center.

EXTENSION

Model	Size (L×D×H / mm)	Remark
KS-ARM-EX250	H=250, 450	Length extension

Can't be used alone, but Can be combined with ARM-HD

COLUMN (I-TYPE)

Model	Size (L×D×H / mm)	Remark
KS-ARM-I	H=300	Column

Stainless
Column role of ARM-EX250,450

EXTENSION ARM SET

Model	Size (L×D×H / mm)	Remark
KS-LARM		

SIDE ARM HOLDER

Model	Size (L×D×H / mm)	Remark
KS-PIH-BL	–	–
KS-PIH-GR	–	–
KS-SH100	–	–

Check the column type of the cart.
330, 350, 450, 500 Series

Compatible with Kosanmedico carts and required for additional monitor in carts. Install it in the left or right outer part of the cart. S type and I type are supported. Additional installation is also possible on carts that are already in use.

JOINT ARM –A

1

Model	Size (L×D×H / mm)	Remark
KS–JA–A		SET

2

Model	Size (L×D×H / mm)	Remark
KS-ARM-HD	W=350	Head

General Weight: not more than 24 inches of normal weight(including)
High Weight: normal 24 inches or more (including)
24 inches is available in common
(It may vary depending on the weight of the manufactured product)

3

Model	Size (L×D×H / mm)	Remark
KS-ARM-JW	W=255	–

Using Combine with ARM–HD
The two joints vary by 90 degrees to allow for a height–length extension.

4

Model	Size (L×D×H / mm)	Remark
KS-ARM-I02	W=145	–

Connect to ARM–EX Series and join to Columns

JOINT ARM –B

1

Model	Size (L×D×H / mm)	Remark
KS–JA–B		SET

2

Model	Size (L×D×H / mm)	Remark
KS-ARM-HD	W=350	Head

High Weight: normal 24 inches or more (including)
24 inches is available in common
(It may vary depending on the weight of the manufactured product)

3

Model	Size (L×D×H / mm)	Remark
KS-ARM-EX160	W=160	Extension

Using Combine with ARM–HD

4

Model	Size (L×D×H / mm)	Remark
KS-ARM-JW	W=255	–

Using Combine with ARM–HD
The two joints vary by 90 degrees to allow for a height–length extension.

5

Model	Size (L×D×H / mm)	Remark
KS-ARM-I02	W=145	–

Connect to ARM–EX Series and join to Columns

JOINT ARM –C

MOVE ARM

1

Model	Size (L×D×H / mm)	Remark
KS–JA–C		SET

2

Model	Size (L×D×H / mm)	Remark
KS-ARM-HD	W=350	Head

General Weight: not more than 24 inches of normal weight(including)
High Weight: normal 24 inches or more (including)
24 inches is available in common
(It may vary depending on the weight of the manufactured product)

3

Model	Size (L×D×H / mm)	Remark
KS-ARM-JW	W=255	–

Using Combine with ARM–HD
The two joints vary by 90 degrees to allow for a height–length extension.

4

Model	Size (L×D×H / mm)	Remark
KS-ARM-EX450	W=450	Extension

Using Combine with ARM–HD
Combine with EX250

5

Model	Size (L×D×H / mm)	Remark
KS-ARM-I02	W=145	–

Connect to ARM–EX Series and join to Columns

EXTENSION ARM –A

1

1
① KS–ARM–HD : 1 EA
② KS–ARM–EX160 : 2 EA
③ KS–ARM–I02 : 1 EA

EXTENSION ARM –B

2



2
① KS–ARM–HD : 1 EA
② KS–ARM–EX160 : 3 EA
③ KS–ARM–I02 : 1 EA

CENTER ARM –A

3



3
① KS–ARM–HD : 1 EA
② KS–ARM–EX160 : 3 EA
③ KS–ARM–C01 : 1 EA

CENTER ARM –B

4

4
① KS–ARM–HD : 2 EA
② KS–ARM–EX160 : 6 EA
③ KS–ARM–C02 : 1 EA

EXTENSION 160

Model	Size (L×D×H / mm)	Remark
KS-ARM-EX160	W=160	Extension

Using Combine with ARM-HD

EXTENSION 250

Model	Size (L×D×H / mm)	Remark
KS-ARM-EX250	W=250	Extension

Using Combine with ARM-HD
Combine with EX450

EXTENSION 450

Model	Size (L×D×H / mm)	Remark
KS-ARM-EX450	W=450	Extension

Using Combine with ARM-HD
Combine with EX250

EXTENSION HOLDER

Model	Size (L×D×H / mm)	Remark
KS-ARM-I02	H=145	–

Connect to ARM-EX Series and join to Columns

CENTER HEAD (1HOLE)

Model	Size (L×D×H / mm)	Remark
KS-ARM-C01	Φ50.8	1 Head

Set the monitor ARM to the center of the cart
ARM-HD, which can be connected to an EX series

CENTER HEAD (2HOLE)

Model	Size (L×D×H / mm)	Remark
KS-ARM-C02	Φ50.8	Head

Set the monitor ARM to the center of the cart
ARM-HD, which can be connected to an EX series



DUAL MONITOR ARM

Model	Size (L×D×H / mm)	Remark
KS-ARM-D-1	(RFQ)	–

STAND MONITOR ARM

Model	Size (L×D×H / mm)	Remark
KS-ARM-HDMS	315×290×300	–

HD Medical Monitor Arm
The hanger of desk

[Back] 후면

TABLET HOLDER

Model	Size (L×D×H / mm)	Remark
KS-T0030L	VESA100x100	9″~13″

TABLET STAND

Model	Size (L×D×H / mm)	Remark
KS-TLTS0011A	VESA100x100	9″~13″

[Front] 전면

[Back] 전면

TABLET HOLDER

Model	Size (L×D×H / mm)	Remark
KS-T0011L	VESA100x100	7″~11″



NOTEBOOK PLATE (Horizontal slide extension)

Model	Size (L×D×H / mm)	Remark
KS-NOTE-P01	355x250	–

Using Combine with ARM-HD
Combine with EX250

SINGLE MONITOR ARM

Model	Size (L×D×H / mm)	Remark
KS-LDA-12U	VESA100x100	LED 15″~27″





WALL MOUNT

Model	Size (L×D×H / mm)	Remark
KS-WM-C	MOVE=480	–

Possible to produce each model
Wire Baskets can be available to install additionally

WALL MOUNT (BASKET)

Model	Size (L×D×H / mm)	Remark
KS-WM-CB	MOVE=480	–

Possible to produce each model
Including Wire Basket

Adjust the height to accommodate the user's height.

The Wire Basket can be added as required by the user.

The Wire Basket can be installed in addition to the bolt configuration.

KOSANMEDICO

The equipment can be fixed to the floor plate for stable position of the equipment. Support for rotation and slight tilt, model specific can be produced.

TABLE MOUNT

Model	Size (L×D×H / mm)	Remark
KS-WM-T	Floor plate 120X80	–

Rotate, tiltable



Equipment fixed plate are made by sliding way.

The sliding equipment fixed plate is pin-fixed.



WALL MOUNT

Model	Size (L×D×H / mm)	Remark
KS-WM-W	W=240	–

General type Wall Mount Model
Mount to fix the LCD Monitor on the wal.
Only VESA-specific monitor is allowed.

WALL MOUNT

Model	Size (L×D×H / mm)	Remark
KS-WM-U	W=240	–

General type Wall Mount Model
Mount to fix the monitoring equipment on the wall.
It can be manufactured by model.

TABLET STAND

Model	Size (L×D×H / mm)	Remark
KS-WM-U2	W450	–



POLE MOUNT

Model	Size (L×D×H / mm)	Remark
KS-PM-S	Φ32	–
KS-PM-L	Φ51	–

Use if additional configuration attachments are required to round columns.
Consultation production is required.



POLE MOUNT

Model	Size (L×D×H / mm)	Remark
KS-WM-P	Φ32, Φ51	VESA규격

Use to mount LCD monitors on circular columns



POLE MOUNT

Model	Size (L×D×H / mm)	Remark
KS-HFH-38	Φ38	–

For Pipe Φ38
Use to mount the humidfier on the Ventilator.

PLATE MOUNT

Model	Size (L×D×H / mm)	Remark
KS-PM-P		–

For Pipe Φ38
Use to mount the humidfier on the Ventilator.

Model	Size (L×D×H / mm)	Remark
KS-DH-A		–

WIRE BASKET

Model	Size (L×D×H / mm)	Remark
KS-WB-G	300×200×150	–

Monitor cart, wall mount, etc
Available in a variety of applications.



WIRE BASKET

Model	Size (L×D×H / mm)	Remark
KS-WB-GS	320×150(130)×150	–

Monitor cart, wall mount, etc
Available in a variety of applications.



WIRE BASKET

Model	Size (L×D×H / mm)	Remark
KS-WBW-W	340(405)×210(235)×150	–

Monitor cart, wall mount, etc
Available in a variety of applications.

MASH BASKET

Model	Size (L×D×H / mm)	Remark
KS-MB-G	270×150×95(140)	–

Monitor cart, wall mount, etc
I.V. pawl stand, monitor cart, etc

WIRE BASKET

Model	Size (L×D×H / mm)	Remark
KS-WB-WM	300×200×95(150)	–

Available for a variety of applications
Baskets can be installed in carts, etc. for
temporary storage space that is required
about a lot of moving and active.
Applicable based on size and space.
Basically each basket is a rubber-like coa ting

WIRE BASKET

Model	Size (L×D×H / mm)	Remark
KS-WB-NOA	420(375)X265X100	–

MULTI-TAP

Model	Size (L×D×H / mm)	Remark
KS-220V-2	105×50×40	–

Mulita-power two- Input, And 10 A
The length 3M

MULTI-TAP

Model	Size (L×D×H / mm)	Remark
KS-220VS-2	130×75×40	–

220V Mulita-power two- Input, And 15 A
The length 3M
Individual Turn-off switch

MULTI-TAP

Model	Size (L×D×H / mm)	Remark
KS-220V-3	145×50×40	–

220V Mulita-power three- Input and 10 A
The length 3M

MULTI-TAP

Model	Size (L×D×H / mm)	Remark
KS-110V-6S	265×55×45	–

110V Multi-power Six- Input and 16 A
The length 3M
Integrated power turn-off switch

MULTI-TAP

Model	Size (L×D×H / mm)	Remark
KS-220V-4S	235×50×40	–

220V×4구, 16A
길이 3M
통합 전원 차단 스위치

MULTI-TAP

Model	Size (L×D×H / mm)	Remark
KS-220V-6S	320×50×40	–

220V×6구, 16A
길이 3M (기본), 5M
통합 전원 차단 스위치

MULTI-TAP

Model	Size (L×D×H / mm)	Remark
KS-220V-10S	490×50×40	–

220V Mulita-power Ten- Input and 16 A
The length 5M
Integrated power turn-off switch

Model	Size (L×D×H / mm)	Remark
KS-IV-2	H=1000	–

For Carts
Φ12.7, 15.8, 19.1, 25.4

Model	Size (L×D×H / mm)	Remark
KS-EH-1	450~550×1150	–

Endoscope Hanger
For 300, 350, 450, 500 Carts

Model	Size (L×D×H / mm)	Remark
KS-WH-S2	H=130	–

Endoscope Water Hanger 2 Holder

Model	Size (L×D×H / mm)	Remark
KS-CN-P	45×45×35	–

Plate Conner Safer For Carts
ABS Plastic

Model	Size (L×D×H / mm)	Remark
KS-AH-B	–	–

For Cart Handle
Steel, Aluminium, Sponge

Model	Size (L×D×H / mm)	Remark
KS-GT-A1	–	–

Order Type

Model	Size (L×D×H / mm)	Remark
KS-SH-S1	W=100	–

Endoscope Lens Safer Bracket / Holder

Model	Size (L×D×H / mm)	Remark
KS-SH-S2	W=245	–

Endoscope Lens Safer Bracket / 2 Holder

Model	Size (L×D×H / mm)	Remark
KS-AH-TR1	Φ27, Φ38	–

Die Casting



Model	Size (L×D×H / mm)	Remark
KS-VT-B1	–	–

Ventilator Hanger Bracket

Model	Size (L×D×H / mm)	Remark
KS-VT-B2	40×50×60	–

Ventilator Hanger Bracket

Model	Size (L×D×H / mm)	Remark
KS-SC-125	–	–

Φ125 SUS CAN
SUS 304

Model	Size (L×D×H / mm)	Remark
KS-YDS-201	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x160mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-202	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x160mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-203	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x160mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-204	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82/160mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-205	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82/160mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

[칸막이]

● 본 카달록의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변결 될 수 있습니다.

KOSANMEDICO

Model	Size (L×D×H / mm)	Remark
KS-YDS-301	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82/160mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-302	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82/160mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-303	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82/160mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-304	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82mm
- 최대적재량:120kg
- 4″ 바퀴(브레이크 바퀴 x 2개)

● 본 카달록의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변결 될 수 있습니다.

Model	Size (L×D×H / mm)	Remark
KS-YDS-106	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82mm
- 최대적재량:120kg
- 4 ″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-106L	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82mm
- 최대적재량:120kg
- 4 ″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-100K	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82mm
- 최대적재량:120kg
- 4 ″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-101	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82mm
- 최대적재량:120kg
- 4 ″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-102	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82mm
- 최대적재량:120kg
- 4 ″ 바퀴(브레이크 바퀴 x 2개)

Model	Size (L×D×H / mm)	Remark
KS-YDS-103	745x475x890	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 서랍 내측 규격(가로x세로x높이):360x510x82mm
- 최대적재량:120kg
- 4 ″ 바퀴(브레이크 바퀴 x 2개)

● 본 카달록의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

KOSANMEDICO

Model	Size (L×D×H / mm)	Remark
KS-YM-101A	475x320x795	ABS & PP

- 선반 내측규격(가로x세로):366x275mm
- 선반간격:555mm
- 최대적재량:100kg
- 바퀴:3 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YM-101C	475x320x1120	ABS & PP

- 선반 내측 규격(가로x세로):366x275mm
- 선반간격:275mm
- 최대적재량:100kg
- 바퀴:3 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YM-101B	475x320x805	ABS & PP

- 선반 내측 규격(가로x세로):366x275mm
- 선반간격:555mm
- 최대적재량:100kg
- 바퀴:3 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YM-101D	475x320x505	ABS & PP

- 선반 내측 규격(가로x세로):366x275mm
- 선반간격:275mm
- 최대적재량:100kg
- 바퀴:3 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YM-101E	475x320x435	ABS & PP

- 선반 내측 규격(가로x세로):366x275mm
- 선반간격:275mm
- 최대적재량:100kg

● 본 카달록의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

Model	Size (L×D×H / mm)	Remark
KS-Y-101A	560x385x820	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:555mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201A	655x455x820	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:555mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301A	815x490x820	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:555mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-101B	560x385x830	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:275mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201B	655x455x830	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:275mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301B	815x490x830	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:275mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

● 본 카탈로의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

Model	Size (L×D×H / mm)	Remark
KS-Y-101C	560x385x820	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:475mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201C	655x455x820	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:475mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301C	815x490x820	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:450mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-101D	560x385x830	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:195/275mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201D	655x455x830	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:195/275mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301D	815x490x830	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:170/275mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

● 브레이크 바퀴는 옵션입니다.

● 본 카탈로의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

Model	Size (L×D×H / mm)	Remark
KS-Y-101E	560x385x820	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격(가로x세로x높이):555mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201E	655x455x820	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격(가로x세로x높이):555mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301E	815x490x820	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격(가로x세로x높이):555mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-101F	560x385x830	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격(가로x세로x높이):275mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201F	655x455x830	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격(가로x세로x높이):275mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301F	815x490x830	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격(가로x세로x높이):275mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

A.B.S Cart

ABS 카트

● 브레이크 바퀴는 옵션입니다.

● 본 카달록의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

Model	Size (L×D×H / mm)	Remark
KS-Y-101G	560x385x820	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:475mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201G	655x455x820	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:475mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301G	815x490x820	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:450mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-101H	560x385x830	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:195/275mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201H	655x455x830	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:195/275mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301H	815x490x830	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:170/275mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

● 브레이크 바퀴는 옵션입니다.

● 본 카달록의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

Model	Size (L×D×H / mm)	Remark
KS-Y-101J	560x385x830	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:195/275mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201J	655x455x830	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:195/275mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301J	815x490x830	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:170/275mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-101K	560x385x830	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:195/195mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-201K	655x455x830	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:195/195mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-301K	815x490x830	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:170/170mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

● 브레이크 바퀴는 옵션입니다.

● 본 카달록의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

Model	Size (L×D×H / mm)	Remark
KS-Y-401A	560x385x930	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:275/380mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-501A	655x455x930	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:275/380mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-601A	815x490x930	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:275/380mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-401B	560x385x930	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:195/380mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-501B	655x455x930	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:195/380mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-Y-601B	815x490x930	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:170/380mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

● 브레이크 바퀴는 옵션입니다.

● 본 카달록의 제품색상은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

KS-Y-401C

Model	Size (L×D×H / mm)	Remark
KS-Y-401C	560x385x930	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:195/295mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

KS-Y-501C

Model	Size (L×D×H / mm)	Remark
KS-Y-501C	655x455x930	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:195/295mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

KS-Y-601C

Model	Size (L×D×H / mm)	Remark
KS-Y-601C	815x490x930	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:170/270mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

KS-Y-401D

Model	Size (L×D×H / mm)	Remark
KS-Y-401D	560x385x930	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:195/380mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

KS-Y-501D

Model	Size (L×D×H / mm)	Remark
KS-Y-501D	655x455x930	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:195/380mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

KS-Y-601D

Model	Size (L×D×H / mm)	Remark
KS-Y-601D	815x490x930	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:170/380mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

● 브레이크 바퀴는 옵션입니다.

● 본 카탈로의 제품사진은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

KS-Y-401E

Model	Size (L×D×H / mm)	Remark
KS-Y-401E	560x385x930	ABS & PP

- 선반 내측 규격(가로x세로):440x340mm
- 선반간격:195/295mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

KS-Y-501E

Model	Size (L×D×H / mm)	Remark
KS-Y-501E	655x455x930	ABS & PP

- 선반 내측 규격(가로x세로):525x400mm
- 선반간격:195/295mm
- 서랍 내측 규격(가로x세로x높이):355x195x75mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

KS-Y-601E

Model	Size (L×D×H / mm)	Remark
KS-Y-601E	815x490x930	ABS & PP

- 선반 내측 규격(가로x세로):680x440mm
- 선반간격:170/270mm
- 서랍 내측 규격(가로x세로x높이):355x260x100mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

KS-Y-701A

Model	Size (L×D×H / mm)	Size (L×D / mm)	Remark
KS-Y-701A	560x385x1040	440x340	ABS & PP
KS-Y-701B	655x455x1040	525x400	ABS & PP
KS-Y-701C	815x490x1040	680x440	ABS & PP

- 선반간격:275mm
- 최대적재량:100kg

KS-Y-801A

Model	Size (L×D×H / mm)	Size (L×D / mm)	Remark
KS-Y-801A	560x385x1120	440x340	ABS & PP
KS-Y-801B	655x455x1120	525x400	ABS & PP
KS-Y-801C	815x490x1120	680x440	ABS & PP

- 선반간격:275mm
- 최대적재량:100kg
- 바퀴:4 ″ Rubber

● 브레이크 바퀴는 옵션입니다.

● 본 카탈로의 제품사진은 실제 색상과 다소 차이가 있을 수 있으며, 예고없이 디자인이 변경 될 수 있습니다.

Model	Size (L×D×H / mm)	Remark
KS-YS-101A	745x475x825	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 선반간격:555mm
- 최대적재량:120kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YS-101B	745x475x835	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 선반간격:275mm
- 최대적재량:120kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YS-101E	745x475x825	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 선반간격:275mm
- 최대적재량:120kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YS-101F	745x475x835	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 선반간격:275mm
- 최대적재량:120kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Size (L×D / mm)	Remark
KS-Y-100	560x385x535	440x340	ABS & PP
KS-Y-200	655x455x535	525x400	ABS & PP
KS-Y-300	815x490x535	680x440	ABS & PP

- 선반간격:275mm
- 최대적재량:100kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Size (L×D / mm)	Remark
KS-Y-100B	560x385x435	440x340	ABS & PP
KS-Y-200B	655x455x435	525x400	ABS & PP
KS-Y-300B	815x490x435	680x440	ABS & PP

- 선반간격:275mm
- 최대적재량:100kg

● 브레이크 바퀴는 옵션입니다.

Model	Size (L×D×H / mm)	Remark
KS-YS-101B-BH	745x475x835	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 선반간격:275mm
- 최대적재량:120kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YS-101B-W	745x475x835	ABS

- 선반 내측 규격(가로x세로):550x430mm
- 선반간격:275mm
- 최대적재량:120kg
- 바퀴:4″ Rubber

Model	Size (L×D×H / mm)	Remark
KS-YS-101B-C	745x475x835	ABS

- 선반 내측 규격(가로x세로):543x425mm
- 선반간격:275mm
- 최대적재량:120kg
- 바퀴:4″ Rubber

● 브레이크 바퀴는 옵션입니다.

OPTIONAL ACCESSORIES

다용도 행거(PART-SB)

IV-스탠드



행거

핸 들 (HANDLE)

Y-101시리즈

Y-201시리즈

Y-301시리즈

다용도 통

내측 규격 (LxDxH)	375x120x130mm

거치형 쓰레기통

폐기물 거치대

환자복 수거함





칸막이

약케이스

ORDER TYRE

Model	Size (L×D×H / mm)	Remark
KS-14-001	205×355×812	–

Model	Size (L×D×H / mm)	Remark
KS-14-002	217×385×712	–

Model	Size (L×D×H / mm)	Remark
KS-14-003	590×555×805	–

Model	Size (L×D×H / mm)	Remark
KS-14-004	280×280×860	–

Model	Size (L×D×H / mm)	Remark
KS-14-005	210×295×740	–

Model	Size (L×D×H / mm)	Remark
KS-14-006	300×400×995	–

Model	Size (L×D×H / mm)	Remark
KS-14-007	160×230×696	–

Model	Size (L×D×H / mm)	Remark
KS-14-008	200×244×935	–

Model	Size (L×D×H / mm)	Remark
KS-14-009	460×919×782	–

Model	Size (L×D×H / mm)	Remark
KS-14-010	340×420×894	–

Model	Size (L×D×H / mm)	Remark
KS-14-011	520×525×750	–

Model	Size (L×D×H / mm)	Remark
KS-14-012	480×550×785	–

Model	Size (L×D×H / mm)	Remark
KS-14-013	480×550×785	–

Model	Size (L×D×H / mm)	Remark
KS-14-014	480×550×785	–

Model	Size (L×D×H / mm)	Remark
KS-14-015	440×495×800	–

Model	Size (L×D×H / mm)	Remark
KS-14-016	410×463×745	–

Model	Size (L×D×H / mm)	Remark
KS-14-017	520×550×875	–

Model	Size (L×D×H / mm)	Remark
KS-14-018	400×500×813	–

Model	Size (L×D×H / mm)	Remark
KS-14-019	550×490×950	–

Model	Size (L×D×H / mm)	Remark
KS-14-020	440×463×1250	–

Model	Size (L×D×H / mm)	Remark
KS-14-021	520×550×800	–

Model	Size (L×D×H / mm)	Remark
KS-14-022	400×400×800	–

Model	Size (L×D×H / mm)	Remark
KS-14-023	545×430×785	–

Model	Size (L×D×H / mm)	Remark
KS-14-024	440×500×800	–

Model	Size (L×D×H / mm)	Remark
KS-14-025	580×550×850	–

Model	Size (L×D×H / mm)	Remark
KS-14-026	450×500×820	–

Model	Size (L×D×H / mm)	Remark
KS-14-027	480×623×1221	–

Model	Size (L×D×H / mm)	Remark
KS-14-028	480×520×1220	–

Model	Size (L×D×H / mm)	Remark
KS-14-029	460×470×590	–

Model	Size (L×D×H / mm)	Remark
KS-14-030	480×500×1220	–

Model	Size (L×D×H / mm)	Remark
KS-14-031	520×500×800	–

Model	Size (L×D×H / mm)	Remark
KS-14-032	345×395×790	–

Model	Size (L×D×H / mm)	Remark
KS-14-033	600×520×800	–

Model	Size (L×D×H / mm)	Remark
KS-14-034	260×300×1133	–

Model	Size (L×D×H / mm)	Remark
KS-14-035	–	–

Model	Size (L×D×H / mm)	Remark
KS-14-036	400×400×870	–

Model	Size (L×D×H / mm)	Remark
KS-14-037	480×480×870	–

Model	Size (L×D×H / mm)	Remark
KS-14-038	480×480×870	–

Model	Size (L×D×H / mm)	Remark
KS-14-039	480×480×870	–

Model	Size (L×D×H / mm)	Remark
KS-14-040	420×440×1180	–

Model	Size (L×D×H / mm)	Remark
KS-14-041	350×290×990	EU940

Model	Size (L×D×H / mm)	Remark
KS-14-042	350×465×1035	ES521

Model	Size (L×D×H / mm)	Remark
KS-14-043	480×390×768	–

Model	Size (L×D×H / mm)	Remark
KS-14-044	440×380×900	–

Model	Size (L×D×H / mm)	Remark
KS-14-045	400×540×1340	–

Model	Size (L×D×H / mm)	Remark
KS-14-046	460×397×950	–

Model	Size (L×D×H / mm)	Remark
KS-14-047	433×310×800	–

PORTABLE SUCTION

Model	Size (L×D×H / mm)	Remark
KS-14-048	480×480×870	–

Model	Size (L×D×H / mm)	Remark
KS-14-049	420×480×782	–

Model	Size (L×D×H / mm)	Remark
KS-14-050	420×480×782	–

Model	Size (L×D×H / mm)	Remark
KS-14-051	450×520×870	700

Model	Size (L×D×H / mm)	Remark
KS-14-052	340×380×1064	–

Model	Size (L×D×H / mm)	Remark
KS-14-053	430×290×800	–

Model	Size (L×D×H / mm)	Remark
KS-14-054	920×550×1050	–

Model	Size (L×D×H / mm)	Remark
KS-14-055	595×525×870	–

Model	Size (L×D×H / mm)	Remark
KS-14-056	750×800×670-970	–

Model	Size (L×D×H / mm)	Remark
KS-14-057	320×400×855	–

Model	Size (L×D×H / mm)	Remark
KS-14-058	420×380×975	ERBE

Model	Size (L×D×H / mm)	Remark
KS-14-059	240×400×1050	–

Model	Size (L×D×H / mm)	Remark
KS-14-060	360×420×800	–

Model	Size (L×D×H / mm)	Remark
KS-14-061	520×552×768	–

Model	Size (L×D×H / mm)	Remark
KS-14-062	440×220×750	–

Model	Size (L×D×H / mm)	Remark
KS-14-063	800×550×1020	–

MONITOR TREATMENT

Model	Size (L×D×H / mm)	Remark
KS-14-064	410×460×1220	–

Model	Size (L×D×H / mm)	Remark
KS-14-065	협의요망	–

Model	Size (L×D×H / mm)	Remark
KS-14-066	협의요망	–

Model	Size (L×D×H / mm)	Remark
KS-14-067	450×520×873	–

Model	Size (L×D×H / mm)	Remark
KS-14-068	300×500×745	–

Model	Size (L×D×H / mm)	Remark
KS-14-069	920×680×765	–

Model	Size (L×D×H / mm)	Remark
KS-14-070	2050×770×855	–

INCONTINENCE

Model	Size (L×D×H / mm)	Remark
KS-14-071	–	–

C-ARM TABLE

Model	Size (L×D×H / mm)	Remark
KS-14-072	협의요망	–

Model	Size (L×D×H / mm)	Remark
KS-14-073	900×125×900	–

Model	Size (L×D×H / mm)	Remark
KS-14-074	1210×760×1235	–

Model	Size (L×D×H / mm)	Remark
KS-14-075	700×440×800	

Model	Size (L×D×H / mm)	Remark
KS-14-076	630×590×900	–

Model	Size (L×D×H / mm)	Remark
KS-14-077	–	–

Model	Size (L×D×H / mm)	Remark
KS-14-078	–	–

Model	Size (L×D×H / mm)	Remark
KS-14-079	–	–

Model	Size (L×D×H / mm)	Remark
KS-14-080	Φ550×4200~1800	BGG

Model	Size (L×D×H / mm)	Remark
KS-14-081	Φ550×1090	UME-S

Model	Size (L×D×H / mm)	Remark
KS-14-082	Φ550×900	S10

Model	Size (L×D×H / mm)	Remark
KS-14-083	Φ434×590	907

Model	Size (L×D×H / mm)	Remark
KS-14-084	Φ550×1010	–

Model	Size (L×D×H / mm)	Remark
KS-14-085	Φ550×1300	–

Model	Size (L×D×H / mm)	Remark
KS-14-086	Φ550×1100	–

Model	Size (L×D×H / mm)	Remark
KS-14-087	325×325×730	–

Model	Size (L×D×H / mm)	Remark
KS-14-088	협의요망	–

Model	Size (L×D×H / mm)	Remark
KS-14-089	협의요망	–

Model	Size (L×D×H / mm)	Remark
KS-14-090	협의요망	–

Model	Size (L×D×H / mm)	Remark
KS-14-091	홀크기 협의	–

Model	Size (L×D×H / mm)	Remark
KS-14-092	홀위치 협의	?

Model	Size (L×D×H / mm)	Remark
KS-14-093	협의요망	–

Model	Size (L×D×H / mm)	Remark
KS-NEGH-H	H=860	EKG

Model	Size (L×D×H / mm)	Remark
KS-14-094	MJ-NEBULIZER	–

Model	Size (L×D×H / mm)	Remark
KS-14-095	CWD	CND

Model	Size (L×D×H / mm)	Remark
KS-14-096	–	–

Model	Size (L×D×H / mm)	Remark
KS-14-097	W4100	–

Model	Size (L×D×H / mm)	Remark
KS-14-098	–	–

ORCHESTRIA

Model	Size (L×D×H / mm)	Remark
KS-14-099	–	–

Model	Size (L×D×H / mm)	Remark
KS-14-100	–	HT-70

Model	Size (L×D×H / mm)	Remark
KS-14-101	–	–

Model	Size (L×D×H / mm)	Remark
KS-14-102	–	

Model	Size (L×D×H / mm)	Remark
KS-MC-CARAT	Φ550×930	–

- 2.5″Caster, ABS Base, ABS Handle, Φ120×206 weight

Model	Size (L×D×H / mm)	Remark
KS-MC-DASH	Φ630×910	–

- 3″Caster, ABS Base, ABS Handle, Wire Basket
- 모델별 상부 Plate 교체 가능

Model	Size (L×D×H / mm)	Remark
KS-MC-LTV-A	Φ550×1028	–

- 3″Caster, ABS Base, Wire Basket, Oxygen Tank Holder

Model	Size (L×D×H / mm)	Remark
KS-MC-2701	Φ630×1043	–

- 3″Caster, ABS Base, ABS Handle, Wire Basket

Model	Size (L×D×H / mm)	Remark
KS-MC-4100	Φ550×1050	–

- 2.5″Caster, ABS Base, ABS Handle, Mash Basket, Φ120×20t weight

Model	Size (L×D×H / mm)	Remark
KS-MC-PM7000-H	Φ630×1220~1800	–

■ 3 ″ Caster, ABS Base, ABS Handle, Wire Basket

Model	Size (L×D×H / mm)	Remark
KS-MC-OXYM	Φ550×1100~1600	–

■ 2.5 ″ Caster, ABS Base, ABS Handle, Mash Basket

Model	Size (L×D×H / mm)	Remark
KS-MC-ANG	Φ550×1270	–

■ 2.5 ″ Caster, Die Casting Base, Wire Basket
Φ120×20t weight

Model	Size (L×D×H / mm)	Remark
KS-MC-COD	Φ700×1300	1 Head

■ 3 ″ Caster, Die Casting Base

Model	Size (L×D×H / mm)	Remark
KS-MC-NIC	Φ550×1097	–

■ 3 ″ Caster, ABS Base, 220Vx2

Model	Size (L×D×H / mm)	Remark
KS-MC-YM6000	Φ550×1092	–

■ 3 ″ Caster, Die Casting Base, Wire Basket, ABS Handle

Model	Size (L×D×H / mm)	Remark
KS-MC-VCM	Φ550×1140~1710	–

■ 3 ″ Caster, Die Casting Base, Wire Basket, ABS Handle

Model	Size (L×D×H / mm)	Remark
KS-MC-VS100	Φ550×1000~150	–

■ 2 ″ Caster, ABS Base, Wire Baske, ABS Handle,
Φ120×20t weight

Model	Size (L×D×H / mm)	Remark
KS-MC-T100	Φ550×930	–

■ 2.5 ″ Caster, ABS Base, ABS Handle, Wire Basket,
Φ120×20t weight

ORDER TYPE

1

2 ROTATION CABINET

3 IV STAND

4 MAYO STAND

5

6

7 MULTI CART

8 ENDO KEEP CART

9

10 ELEC TABLE

11

12

13

14

15 ENDO KEEP

16

17 EMR CART

18 VWNTILATOR ORDER

19 COVETAIL HOLDER

20

21

22 LH STAND

23 42 INCH STAND

24

25 AGNES 200

26

27 AGNES 100

28 32 INCH NORMAL

29

30 SOLAR

31 HUMAN

32

33

34

35 SIDE HOLDER

36

37 HUMAN

38

39 SAND HILL

40

41 TAEIL

42

43

44 MRX

45

46

47

48

49 SERVOS

KOSANMEDICO

50

51

52

53

54

55 DVMS 41



56 HD DUA!

57

58

59

60 GREEN LIGHT

61 X-RAY STAND

62 BLUE TOOTH

63 ECG 2550

64

65 HBP1300

66

67 NOTEBOOK STAND

68

69 DUAL 02 HOLDER

70 NONIN(MRI)

71

72 TABLET STAND

73 U780

74 TELESCDPE HOLDER

75 RIS

76 SUCTION HOLDER

77

78

79

80 D50

81

82

83

84

85

86 CHATTANOOGA

87

88

89

90

http://www.kosanmedico.co.kr | http://www.kosanmedico.net

MEMO